

Open Peer Review on Qeios

Stage III Breast Cancer AJCC v7

National Cancer Institute

Source

National Cancer Institute. Stage III Breast Cancer AICC v7. NCI Thesaurus. Code C88376.

Stage III includes: IIIA: (T0, N2, M0); (T1, N2, M0); (T2, N2, M0); (T3, N1, M0); (T3, N2, M0), IIIB: (T4, N0, M0); (T4, N1, M0); (T4, N2, M0), and IIIC: (any T, N3, M0). T4: Tumor of any size with direct extension to the chest wall and/or to the skin (ulceration or skin nodules). N2: Metastases in ipsilateral level I, II axillary lymph nodes that are clinically fixed or matted; or in clinically detected ipsilateral internal mammary nodes in the absence of clinically evident axillary lymph node metastases. N3: Metastases in ipsilateral infraclavicular (level III) axillary lymph nodes(s) with or without level I, II axillary lymph node involvement; or in clinically detected ipsilateral internal mammary lymph node(s) with clinically evident level I, II axillary lymph node metastases; or metastases in ipsilateral supraclavicular lymph node(s) with or without axillary or internal mammary lymph node involvement. M0: No clinical or radiographic evidence of distant metastasis. M0 includes M0(i+). (AJCC 7th Ed.)

Qeios ID: 06MFQ0 · https://doi.org/10.32388/06MFQ0