

Review of: "Glycemic Control and Its Determinants Among Type 2 Diabetes Mellitus Patients at the Limbe Regional Hospital, Limbe, Southwestern Cameroon"

Mohammad Abul Hasnat¹

1 Shahjalal University of Science and Technology

Potential competing interests: No potential competing interests to declare.

- 1. Although this study was conducted with a scientific way but there is no scientific vigor of this study because all the factors significantly related with glycemic control are very well established.
- 2. May be HbA1c was estimated once per patient to defined the patient as good Glycemic controlled (GC), poor GC, and inadequate GC. But it reflects only the average glycated HB of 3 months of a patient. So, my suggestion is to define the patients as good GC, poor GC, or inadequate GC, HbA1c should estimate at least 1/2 times after the first estimation and then measuring the average values to define the patients.
- 3. Authors are requested to describe the estimation methods of HhA1c and glucose with mentioning the lot no. of reagents, company name, origin etc. and also about analyzers and machines.
- 4. References should write correctly and have to remove extra marks/signs.
- 5. Should check the grammar again. Some plagiarism was found. So, request to the authors to check the manuscript again and rewrite some portion in background, materials and methods, and discussion.
- 6. The introduction portion has described more. It could be modified by simplifying it mentioning some information about type-2 diabetes.
- 7. It's better to mention the region/zone of Cameroon in the title instead of the name of the hospital.