

Open Peer Review on Qeios

Stage IVA Lip and Oral Cavity Cancer AJCC v8

National Cancer Institute

Source

National Cancer Institute. <u>Stage IVA Lip and Oral Cavity Cancer AJCC v8</u>. NCI Thesaurus. Code C132733.

Stage IVA includes: (T4a, N0, M0); (T4a, N1, M0); (T1, N2, M0); (T2, N2, M0); (T3, N2, M0); (T4a, N2, M0). T4a (lip): Tumor invades through cortical bone or involves the inferior alveolar nerve, floor of mouth, or skin of face (i.e., chin or nose). T4a (oral cavity): Tumor invades adjacent structures only (e.g., through cortical bone of the mandible or maxilla, or involves the maxillary sinus or skin of face). Note: Superficial erosion of bone/tooth socket (alone) by a gingival primary is not sufficient to classify a tumor as T4. T1: Tumor size 2 cm or less in greatest dimension and 5 mm or less DOI. T2: Tumor size 2 cm or less in greatest dimension, DOI greater than 5 mm and equal or less than 10 mm or tumor greater than 2 cm but 4 cm or less in greatest dimension and 10 mm or less DOI. T3: Tumor size greater than 4 cm or any tumor greater than 10 mm DOI. No: No regional lymph node metastasis. N1: Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension and ENE(-). N2: Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension and ENE(+); or larger than 3 cm but not larger than 6 cm in greatest dimension and ENE (-); or metastases in multiple ipsilateral lymph nodes, none larger than 6 cm in greatest dimension and ENE(-); or metastases in bilateral or contralateral lymph nodes, none larger than 6 cm in greatest dimension, ENE(-). M0: No distant metastasis. (AJCC 8th Ed.)

Qeios ID: CSVG37 · https://doi.org/10.32388/CSVG37