

Open Peer Review on Qeios

Stage IVA Major Salivary Gland Cancer AJCC v7

National Cancer Institute

Source

National Cancer Institute. <u>Stage IVA Major Salivary Gland Cancer AJCC v7</u>. NCI Thesaurus. Code C35694.

Stage IVA includes: (T4a, N0, M0); (T4a, N1, M0); (T1, N2, M0); (T2, N2, M0); (T3, N2, M0); (T4a, N2, M0). T4a: Moderately advanced disease. Tumor invades skin, mandible, ear canal, and/or facial nerve. T1: Tumor measuring 2 cm or less in greatest dimension without extraparenchymal extension. Extraparenchymal extension is clinical or macroscopic evidence of invasion of soft tissues. Microscopic evidence alone does not constitute extraparenchymal extension for classification purposes. T2: Tumor measuring more than 2 cm, but not more than 4 cm in greatest dimension without extraparenchymal extension. T3: Tumor measuring more than 4 cm in greatest dimension, and/or tumor having extraparenchymal extension. N0: No regional lymph node metastasis. N1: Metastasis in a single ipsilateral lymph node, 3 cm or less in greatest dimension. N2: Metastasis in a single ipsilateral lymph node, more than 3 cm but not more than 6 cm in greatest dimension, or in multiple ipsilateral lymph nodes, none more than 6 cm in greatest dimension, or in bilateral or contralateral lymph nodes, none more than 6 cm in greatest dimension. M0: No distant metastasis. (AJCC 7th ed.)

Qeios ID: GLWR3M · https://doi.org/10.32388/GLWR3M