

Review of: "Neurotherapeutic Comparison of Aripiprazole and Ethanolic Extract of *Fragaria Ananassa* on Cerebrum and Amygdala of Methamphetamine Intoxicated Male Wistar Rats"

Rita Kumari¹

¹ SickKids Foundation

Potential competing interests: No potential competing interests to declare.

Introduction Flow:

- The introduction requires a more seamless flow between paragraphs. To enhance logical connections, consider incorporating transitional sentences that guide the reader from one idea to the next. This will ensure a smoother and more coherent narrative.

Rationale for Using Ethanolic Strawberry Extract:

- Clearly articulate the rationale behind choosing ethanolic strawberry extract as a substitute for methamphetamine. Elaborate on the specific attributes of the extract that make it a suitable candidate for this study, such as its chemical composition, potential therapeutic effects, or known properties.

Mode of Administration and Dose:

- In the methodology section, explicitly mention the mode of ethanolic extract administration, specifying it as oral. Additionally, provide the dosage administered to ensure clarity and reproducibility of the experiment.

Table Descriptions:

- Introduce an additional column in the results tables to comprehensively describe the groups (drug/extract). This will offer readers a quick reference to understand the composition of each group and facilitate a clearer interpretation of the results.

Mass Spectrometry Analysis for Ethanolic Extract:

- To further validate the study, conduct mass spectrometry analysis on the ethanolic extract to identify and characterize its active ingredients. Incorporate the findings into the introduction and throughout the manuscript to substantiate the pharmacological action of the strawberry extract. This addition will significantly enhance the validity and reliability of the study.

