Open Peer Review on Qeios



Web-Based Crime Management System for Samara City Main Police Station

Demelash Lemmi Ettisa¹, Minota Milkias¹

1 Samara University (SU), Ethiopia

Funding: No specific funding was received for this work.Potential competing interests: No potential competing interests to declare.

Abstract

Crime is a human experience, and it must be controlled. The Samara town police station plays a significant role in controlling crime. However, the management of crime activities is done manually, which is due to the lack of an automated system that supports the station workers in communicating with citizens to share information and store, retrieve, and manage crime activities. To control crime efficiently, we need to develop online crime management systems.

This project, entitled "Web-Based Crime Management System," is designed to develop an online application in which any citizen can report crimes; if anybody wants to file a complaint against crimes, they must enjoy online communication with the police. This project provides records of crimes that have led to disciplinary cases in addition to being used to simply retrieve information from the database. The system implemented is a typical web-based crime record management system based on client-server architecture, allowing data storage and crime record interchange with police stations.

Demelash Lemmi Ettisa^{1,*}, and Minota Milkias²

- ¹ Department of Statistics, Samara University, Afar, Ethiopia
- ² Department of Information Technology, Samara University, Afar, Ethiopia

Corresponding Author: <u>nicemanyes@su.edu.et</u>

Keywords: Crime management, System, Information, Police station.

Chapter One

1. Introduction to the Study

The "Crime Management System" is a web-based website for online complaining and computerized management of crime records (Khan et al., 2008).

A criminal is a popular term used for a person who has committed acrime or has been legally convicted of a crime. "Criminal" also means being connected with a crime. When certain acts or people are involved in or related to a crime, they are termed as criminal (Wex, 2023).

Samara City's main police station is located in Samara City, within the Afar Regional State. It was established in 1984 E.C. with the purpose of protecting local communities from criminal activities. The Samara City police station is situated near the diesel suppliers in Samara City. In the first phase, there was a small number of police members, including commanders, inspectors, and constables. But recently, more than 170 police members have been employed. It is a well-organized police station that serves in crime prevention; the detection and conviction of criminals depend on a highly responsive manner. The effectiveness of this station is based on how efficient, reliable, and fast it is. As a consequence, the station maintains a large volume of information. To manage their information requirements, the station is currently using an information system. This system is manual and paper-based, where information is passed hand-to-hand, and information is kept in hard-copy paper files stored ordinarily in filing cabinets. Despite the relevance of their information system, it poses several challenges in the management of information, including an ever-increasing paper load, difficulty in enforcing file access controls, and cases of missing files and information.

To have a peaceful life, we need a well-organized law enforcement system. In our city, Samara, we have very good facilities in the law enforcement sector. However, due to a lack of facilities, some work cannot be done in a very good way. The widely employed CMS method in Samara City is the manual process. This approach entails the use of paper files in the documentation of criminal information. For this reason, a website will be produced for the Crime Management System. The main authority is given to the administrator. Next is the main module of the system, which is the crime module. In this way, all the crime information will be stored in the database. First, complaint details will be added to the system, and then

station employees will check if the complaint is related to a crime or law and order. The researcher focuses on a crime management system to provide services based on a computerized or web-based system for the main police station in Samara. It also emphasizes computerized work on many activities, especially recording and reporting crime information. The researcher will help to facilitate an easy crime management system by making it reliable and efficient by implementing the loss of many crime works means web-based through the crime parts of the Samara City main police station.

The aim of the proposed system is to develop a system with improved facilities. The proposed system can overcome all the limitations of the existing system. The system provides proper security and reduces manual work.

- · Security of data.
- Minimize manual data entry.
- Better service.
- · User-friendly and interactive.
- Minimum time required.
- · Changing the manual system into an automated system.

1.1. Statement of the Problem

The police station record management system is a project designed with the aim of maintaining all the records and details related to a police station in order to increase efficiency. As a result of making it easier to manage and administer a police station, this record management system makes the management and administration of a police station easier and more effective. Every country has always placed the safety and protection of human rights at the top of its priorities, since without them no country can exist. It is the responsibility of every country's government to protect the freedom and rights of all human beings without discrimination so that every individual can lead his life with his own choice without violating the rules and regulations set by the government of that country (Fluchtplan erstellen, 2023).

The existing system of the Samara Police Station crime record management is a manual system. With the existing system, all activities are performed manually; there is no computerized system like a database or website. Files are manually stored, moved, and processed from one section to another. Reports are manually prepared and delivered to the appropriate unit. In the existing system, it's very difficult to retrieve any record information because different records are written in paper-based books or agendas. The problems in the existing system are:

- Limitations on crime recording: Recording crime information manually.
- Limitation on System Retrievals: The information is very difficult to retrieve, and finding particular information, like searching for crime detail information, is challenging.
- **Problem with information storage:** The information generated by various transactions takes time and effort to be stored in the right place.
- Problems with updating records: Various changes to information, like crime details, are difficult to update.

- More manpower required: Many police officers are needed to handle crime.
- Time-consuming: It is time-consuming to record crime.
- · Consumes a large volume of paperwork: it requires much paper to record a crime file.
- Lack of security and space: There is no security for data because it is paper-based and has no password.
- Report generation latency: There is an overlap of crime records from others.
- Poor inter-station sharing and connectivity.

Therefore, the main objective of this project was to solve the entire above-mentioned problem by developing a web-based crime management system for the Samara city police station.

1.2. Objective

1.2.1. General Objective

The general objective of the project is to develop a web based crime management system for samara city main police station.

1.2.2. Specific Objectives

The specific objectives for our project are:

- Make a plan for how to carry out our project accordingly.
- Gather or collect data.
- Analyze the gathered data.
- Design the system based on the specified requirements.
- Develop an interactive user interface.
- Identify the functional and non-functional requirements.
- · Implement the system based on the system design.
- Test to check the availability of the project.
- Finally, deploy the system in the working environment.

1.3. Significance of the System

The significance of this project will be:

- · Providing a web-based crime reporting system for police stations.
- · Reducing errors by suggesting appropriate actions for the recorded personal data.
- · Giving efficient service within the time limit.
- · Effective manipulation in terms of cost.
- Ease of use, updating, and maintenance.

• Facilitating the accessibility of information.

1.4. Data gathering

To gather accurate data from the concerned body, the researcher used the following fact-finding techniques:

- Interview: In order to gather complete and appropriate information for the proposed project, the team selected a person to interview about the organization, consisting of inspectors and secretaries, to get necessary information that is stated in the background of the project, like the existing problems and costs, such as salary.
- **Document Analysis:** To get historical information about the organization's activities and to know the organization's rules and regulations, the team tried to analyze as many documents as possible that were relevant to the new system.
- **Observation:** To get first-hand, accurate information about how the existing system works, the team observed the current system directly and found the pros and cons of the present system.

1.5. Design Methodology

The team decided to use object-oriented methodology (a system development approach that allows the reuse of existing components) for the following reasons:

- It is known to the group members.
- It is easier to maintain.
- There is ease of understanding object-oriented models due to a consistent underlying representation throughout the development process.
- There is ease of modification and extensibility of object-oriented models.
- There is no separation between data and processes, unlike in structured analysis methodology, which treats data and processes separately.
- From the development method, we would use prototyping, and from the testing method, we would use integration and system testing.

Design Tools:

- Deployment diagram
- Design class diagram

1.5.1. Analysis Methodology

The analysis approach used is object-oriented analysis (OOA). This method was selected because "object-oriented analysis is a method of analysis that examines requirements from the perspectives of the classes and objects found in the vocabulary of the problem domain." The primary tasks in object-oriented analysis (OOA) are identifying objects, organizing the objects by creating an object-oriented model diagram, and defining the behavior of the objects. Here,

common models used in OOA are use cases and object models.

The team looked at the problem domain with the aim of producing a conceptual model of the information that exists in the area that will be analyzed. The team selected users who use the system and tried to refine how the users communicate with each other. This model includes the functions of the system (use case modeling), identifies the business objects, organizes the objects, and also the relationships between them, and finally models the behavior of the objects.

Analysis Tools:

- · Class diagram
- Use case diagram
- Sequence diagram
- Activity diagram

1.5.2. Hardware and Software to Be Used for Implementation

The software requirements specification is the single most important document in the software development process. The following are software requirements:

 XAMPP Server, MySQL, Editor, Edraw Max and Microsoft Office Visio, Browser, Microsoft Office Word 2010, Microsoft PowerPoint 2010.

Hardware requirements are the tangible and visible components that are necessary to develop a system**Hardware** Tools that were used to develop this project are:

Computers, Flash Disk (8GB), Pen and Paper, Mobile, Camera, Hard Disk

Chapter Two

2. System Modeling

System modeling is the process of developing abstract models of a system, with each model presenting a different view or perspective of that system. It is about representing a system using some kind of graphical notation, which is now almost always based on notations in the Unified Modeling Language (UML). Models help the analyst to understand the functionality of the system and are used to communicate with customers.

2.1. Use Case Identification

A use case describes the functionality that a system is supposed to perform or shows by modeling. Each use case describes a possible scenario of how the external entity interacts with the system. That means it interacts with the entire

system for external users. In modeling use cases, each use case describes the interaction between the actors within the system boundary. A Use Case describes the sequence of actions that provides a measurable value to an actor, is drawn as a horizontal ellipse, and contains the use case name inside the ellipse.

In the following table, we attempt to list the use case ID, the use case name, and its description.

Table 1. Use Case Identification

2

Use case ID	Use case Name	Include
Uc1	Create Account	Login
Uc2	View User Account	Login
Uc3	Update account	Login
Uc4	View user Activities	Login
Uc5	Take backup	Login
Uc6	Restore backup	Login
Uc7	Assign placement for police	Login
Uc8	View employee	Login
Uc9	View comment	Login
Uc10	View nomination	Login
Uc11	Post missing criminals	Login
Uc12	Post notice	Login
Uc13	View criminal report	Login
Uc14	View placement	Login
Uc15	Register criminal	Login
Uc16	View nomination	Login
Uc17	Send account request for complaint	Login
Uc18	View order	Login
Uc19	View complaint request	Login
Uc20	View criminal	Login
Uc21	Register complaint	Login
Uc22	Order preventive police	Login
Uc23	Register witness	Login
Uc24	Register Accused	Login
Uc25	Register Accuser	Login
Uc26	Register first information report	Login
Uc27	Order preventive police	Login
Uc28	Register employee	Login
Uc29	Update employee	Login
Uc30	View employee	Login
Uc31	Send complain	Login
Uc32	View complain response	Login
Uc33	View missing criminal	
Uc34	Give nomination	
Uc35	Give comment	
Uc36	Login	
Uc37	Logout	Login

2.2. Use Case Diagram

A UML use case diagram shows the relationships among actors and use cases within a system. A use-case diagram is a graphic representation of the interactions among the elements of a system. Use case diagrams show the various activities the users can perform on the system. The system is something that performs a function. They model the dynamic aspects of the system. It deals with who uses your application or system and what they can do with it

A use case diagram contains the following sub-components:

- System boundary: which defines the system of interest in relation to the world around it.
- Actors: An actor is an entity that initiates the use case from outside the scope of the use case. It can be any element that can trigger an interaction with the use case. Define the roles that users or other systems play while interacting with the system.

It is usually individuals involved with the system defined according to their roles.

The relationship: Communication associations connect actors with the use cases in which they participate. Relationships among use cases are defined by means of including and extending relationships.

It is a connection between the actors and the use cases. The Include Relationship (<<include>> or <<use>>>) represents the inclusion of the functionality of one use case within another. The arrow is drawn from the base use case to the used use case. The Extend Relationship (<<extend>>) represents the extension of the use case to include optional functionality.

• Use Case: are the specific roles played by the actors within the system

2.2.1. Actor Specification

This part describes who the actors are and what their role is in the system. In the proposed system, there are eight actors who are participating. The following are the actors in the proposed system:

System Administrator: An administrator who interacts with the proposed system and has full control over the system. After logging in to the system, their responsibilities include:

- View User Account
- Update Account
- View User Activities
- Restore Backup
- Create Account
- View Employee
- Take Backup

Police Head: Has the following activities:

· Assign placement for preventive police

- View Employee
- View Nomination
- View missing criminal
- Create account
- View Comment
- Post missing criminals
- View Criminal Report

Criminal Preventive Police: Have the following activities:

- · View their Placement assigned by police head
- Register criminal
- Register complaint
- Register crime
- · View complaint request
- View nomination
- · View notice
- · Send nomination
- View order

Detective Officer: Have the following activities:

- · View criminal
- Order preventive police
- Register witness
- Register Accused
- Register Accuser
- View witness
- View accused
- View accuser
- Generate First Information Report

Human Resource Manager: Have the following activities:

- Register Employee
- View Employee
- Update Employee

Customer: Have the following activities:

View Missing Criminal

- Give Nomination
- Give Comment

Complaint: Have the following activities:

- Send request
- View response

2.2.2. Use Case Description

A use case description is a business analysis presentation of the steps defining the interactions between a user (called an actor) and a system (usually a computer system). It details the interactions and sets expectations for how the user will work within the system.

Table 2. Register Em	ployee use case description		
Use Case Name	Register Employee		
Use Case ID	Uc28		
Include	Login		
Actor	Human resource manager		
Description	The human resources manager accepts the	user and registers them for the database in the system.	
Precondition	The users should be workers at the police s	tation.	
Basic course of Action	Actor action 1. HR manager opens the system. 3. HR manager, click on the Register Employee Link. 5. Fill each individual field and press the register button. 7. Use case end	 <u>System response</u> 2. The system opens to the user page. 4. The system displays a user registration form. 6. If the user correctly fills each required field the system will display the "You are Successfully Registered" message. 	
Alternative course of action	If the HR manager enters the wrong usernal "Incorrect input, " and the process turns aga		
Post condition	Employees are legal users of the station.		

Table 3. Create Account use case description

Use Case Name Use Case ID Include Actor Description Precondition	Create Account Uc1 Login Administrator Administrators create accounts for already-registered users. Administrators must login and should get a list of users' information from registered users.	
Basic course of Action	Actor action 1. Administrator Login to the system 3. Click on the Create Account Link. 5. The administrator fills out the field, including the user name and password, then clicks on the Create Account button. 7. Use case-end.	System response 2. The system opens to the Administrator page. 4. The system displays Create Account form 6. If the entered data is valid, the system will display the "You have successfully created an account" message.
Alternative course of action	If the user enters the wrong username or password, the system displays an invalid input message and processes it again from step 4.	
Post condition	Users can login to the system with their account.	

Table 4. Login use case description

Use Case Name	Login	
Use Case ID	Uc36	
Include		
Actor	Police Head, Preventive Police, Detective Officer, Human Resource Manager, Administrator, and Complaint.	
Description	This use case is used to ensure security for system usage. Only legal users can access the system.	
Precondition	The user must have a valid user name and password from Administrator.	
Basic course of Action	Actor action 1. the user opens the system. 3. User-Click Login Menu 5. The user fills out the form and clicks the login button. 7. Use case-end	System response2. The system displays the Home Page.4. The system displays the login form.6. System displays user page
Alternative course of action	The user may input the wrong user name and password and the system will display the wrong message. The process turns back to step 5.	
Post condition	Users perform their own tasks on the system.	

Table 5. Register A	ccused use case description	
Use Case Name	Register Accused	
Use Case ID	Uc24	
Include	Login	
Actor	Detective Officer	
Description	A detective officer can register the accused criminal to make a decision.	
Precondition	The detective officer must have a valid user name and password to register the accused criminal.	
Basic course of Action	 <u>Actor action</u> 1. The user logs into the system. 3. Detective Officer, click the Register accused criminal link. 5. Fill out the form and click the Register button. 7. Use case-end. 	 <u>System response</u> 2. The user inputs the correct value, and the system displays Detective Officer Page. 4. The system displays an accused criminal register form. 6. The system displays a successful message.
Alternative course of action	The user may input the wrong user name and password, and the system will show an incorrect message. The process turns back to step 1.	
Post condition	Logout from the system	

Table 6. Assign Police use case description

Use Case Name	Assign placement for police	
Use Case ID	Uc7	
Include	Login	
Actor	Police Head	
Description	Police Head: Assign police to their working place.	
Precondition	The police head must have a valid user name and password to assign police to their task.	
Basic course of Action	Actor action The police head logged in to the system. The user clicks Assign Link. Then fill out the form and click the Assign button. 	System response 2. System directs to police head page 4. The system opens the form. 6. system display successfully message 7. Use case-end.
Alternative course of action	A1. The police head may input the wrong user name and password, and the system will show an incorrect message.The process turns back to step 1.A2. If the police chief enters incorrect information, the system displays an incorrect message.The process turns back to step 5.	
Post condition	User's logout from the system.	

Table 7. Post Missing Criminals use case description

Use Case Name	Post Missing Criminals	
Use Case ID	Uc11	
Include	Login	
Actor	Police Head	
Description	Police Head post the missing criminal on the home page and get a nomination from the citizen.	
Precondition	There must have been a missing criminal nominated by the people, and The police head must have a valid user name and password to post.	
Basic course of	Actor action 1. The police head logged in to the system. 3. The police head clicks on the post-missing criminal link.	System response 2. system directs to the police head page.
Action	5. The police head uploaded a missing criminal file.7. Use case-end.	4. The system displays browsing Button.6. The system displays "the missing criminal successfully posted" message.
Action Alternative course of action	5. The police head uploaded a missing criminal file.	6. The system displays "the missing criminal

Table 8. Send Complaint use case description

Use Case Name	Send complain	
Use Case ID	Uc31	
Include	Login	
Actor	Complaint	
Description	The complainant sends their complaint to the preventive police, and the preventive police examine it and send a response to the complaint.	
Precondition	The customer knows how to use the system.	
Basic course of Action	Actor action The complaint logged in to the system. Fill out the complaint form and submit it. The complainant fills out the form and sends a request. Use case-end. 	 System response 2. The system directs to the complaint page. 4. The system displays the form. 6. The system displays a "successfully" message.
Alternative course of action	A1. If the user enters the wrong username or password, the system notifies "the wrong input, " and the process continues from step 1.	
Post condition	user's logout from the system.	

2.3. Sequence Diagram

A sequence diagram is a kind of interaction diagram that shows how processes operate with one another and in what

order in a system. It shows object interactions arranged in a time sequence. UML sequence diagrams model the flow of logic within your system in a visual manner, enabling you to both document and validate your logic. They are commonly used for both analysis and design purposes. Sequence diagrams are the most popular UML artifact for dynamic modeling, which focuses on identifying the behavior within your system.

UML Sequence Diagrams Description

- Capture the interaction between objects in the context of a collaboration.
- Show object instances that play the roles defined in a collaboration.
- Show the order of the interaction visually by using the vertical axis of the diagram to represent time, what messages are sent, and when.
- Show elements as they interact over time, showing interactions or interactions, for instance.





Figure 1. Sequence diagram for User Login








Figure 3. Sequence diagram for Assign Police




Figure 4. Sequence diagram for Update User Profile




Figure 5. Sequence diagram for Posts Missing Criminal





Figure 6. Sequence diagram for Register Employee





2.4. Class Diagram

This class diagram shows the detailed associations and attributes of the proposed system. A class diagram in the Unified



Modeling Language (UML) is a type of static structure diagram that describes the structure of a system by showing the system's classes,

- 1. Objects
- 2. Their attributes
- 3. Operations (methods)
- 4. And the relationships among the classes

A class diagram is an illustration of the relationships and source code dependencies among classes in the Unified Modeling Language (UML). It provides an overview of the target system by describing the objects and classes within the system and the relationships between them.




Figure 8. Crime Management Class Diagram

Chapter Three

3. System Design

System design is the transformation of the analysis model into a system design model. System design is the first part to get into the solution domain in software development. This chapter focuses on transforming the analysis model into a design model that takes into account the non-functional requirements and constraints described in the problem statement


and requirement analysis sections discussed earlier.

3.1. Design Goal

The objectives of design are to model the system with high quality. The design goals are derived from non-functional requirements, which means a non-functional requirement is the description of the feature characteristics and attributes of the system as well as any constraints that may limit the boundary of the proposed solution.

3.2. System Decomposition


To reduce the complexity of the solution domain, we decompose a system into simpler parts, called subsystems, which are made of a number of solution domain classes. In the case of complex subsystems, we recursively apply this principle and decompose a subsystem into a set of loosely dependent parts that make up the system. Subsystem decomposition is the way that helps us to distinguish the parts of the operations that take place within the organization



3.3. System Architecture

The purpose of design is to show the direction in which the application is being developed and to obtain clear and sufficient information needed to derive the actual implementation of the application. The work is based on the services provided on the internet to customers. Once the services are available based on customer requests, they will be delivered with specific privileges to access, receive, and visit the site. The architecture used for the system is a client-server architecture where a client can use internet browsers to access the web-based crime file management system within the local area network of the agency or anywhere using the internet. It stores this data in a relational database management system. The middle tier (web/application server) implements the business logic, controller logic, and presentation logic to control the interaction between the application's clients and data. The controller logic processes client requests, such as

requests for reservations and show services provided by the printing enterprise system from the database.






3.4. Component Diagram


Component modeling shows which components or objects will be accessed by the user. In this modeling of the system's components, it will be shown that there is a relationship among components.

By this diagram, components of the system will be wired, showing that there is a relationship among components: management of the system, database operations performed on databases, and security issues.



3.5. State Chart Diagram

A state chart diagram describes the flow of control of the Samara police station criminal management proposed system from one state to another to describe the system dynamically. States are defined as a condition in which an object exists and changes when some event is triggered. So the most important purpose of a state chart diagram is to model the life of an object from creation to termination






Figure 13. State Chart Diagram for Update Criminal Status





Figure 14. State Chart Diagram for Add Criminal Information










Figure 17. State Chart Diagram for Register Employee

3.6. Deployment Diagram

A deployment diagram shows the execution architecture of systems that represent the assignment (deployment) of software artifacts to deployment targets (usually nodes). Nodes represent either hardware devices or software execution environments.

Deployment diagrams are used to model the hardware that will be used to implement the system, the link between different items of hardware, and the deployment of software on that hardware.

Through the deployment diagram, we are able to model:

- · Where hardware is located
- · Where software is located
- What the communication path is between various hardware parts

Deployment Diagram Description:

Browser: Online viewers will be able to communicate with the web server using a browser.

Web Server: Using Apache as the web server, it will be responsible for accepting and responding to requests sent by the browsers.

Database: This will be responsible for storing information on the computer.




Figure 18. Deployment Diagram

3.7. Persistence Data Management

The persistent data model describes the persistent data stored by the system and the data management infrastructure

required for it. This section typically includes the description of data schemas, the selection of a database, and the description of the encapsulation of the database. Here, as the system includes a large amount of data received from users and is implemented in large organizations, it needs persistent data storage. Therefore, our software system uses a database called SQL Server to manage and store data persistently. Information related to admin, preventive officer, case, news, feedback, and others is persistent data and is hence stored on a database management system. Moreover, storing data in a database enables the system to perform complex queries on large data sets. In order to store data persistently in a database, those class objects identified in the class diagram of CMS are mapped into tables, and the attributes are mapped into fields for the respective tables. The tables of the system with their respective fields and the relationships that exist between the tables are expressed in this portion of the project.

-		🛛 🔷 crimerecordsystem accuser			7 👌 crimerecordsystem firstinformationreport
Crimerecordsystem employee	orimerecordsystem account	🛚 accuser_id : varchar(50)			FIR_ID : int(11)
emp_id : varchar(50)	userid : varchar(50)	🛛 firstname : varchar(50)			accuser_id : varchar(50)
g firstname : varchar(50)	 username : varchar(50) 	fathername : varchar(50)	🖞 🔷 crimerecordsystem witness	5	accused_id : varchar(50)
a fathername : varchar(50)	password : varchar(50)	g gfathername : varchar(50)	witness_id : varchar(50)		witness_id : varchar(50)
 gfathername : varchar(50) 	o role : varchar(50)	sex : varchar(50)	🛛 accuser_id : varchar(50)	7 o crimerecordsystem accused	o crimetype : varchar(50)
e sex : varchar(50)	n status : varchar(20)	# age : int(11)	firstname : varchar(50)	accused_id : varchar(50)	o crimelevel : varchar(50)
age : int(11)	 password_status : varchar(50) 	# phoneno : int(11)	fathername : varchar(50)	accuser_id : varchar(50)	description : text
phoneno : int(11)	g pacentera_cranate . varentar(ee)	educationlevel : varchar(50)	gfathername : varchar(50)	 firstname : varchar(50) 	
educationlevel : varchar(50)		email: varchar(50)	sex : varchar(50)	 fathername : varchar(50) 	
gofficeno : int(11)	v 👌 crimerecordsystem accountrequest	g status : varchar(50)	# age : int(11)	gfathername : varchar(50)	
email : varchar(50)	Request_id : int(11)	kebele : varchar(50)	# phoneno : int(11)	 gradientanie (varchar(50) sex : varchar(50) 	
() status : varchar(50)	o police_id : varchar(50)	village : varchar(50)	educationlevel : varchar(50)	# age : int(11)	7 🔿 crimerecordsystem registercomplaint
photo : varchar(50)	complaint_id : varchar(50)	date : varchar(50)	email : varchar(50)	phoneno : int(11)	<pre>complaint_id : varchar(50)</pre>
status2 : varchar(50)	 description : text 	photo : varchar(50)	status : varchar(50)	educationlevel : text	 firstname : varchar(50)
	🗉 date : date	description : text	kebele : varchar(50)	email : varchar(50)	g fathername : varchar(50)
crimerecordsystem orders	 status : varchar(50) 	-	village : varchar(50)	 status : varchar(50) 	 gfathername : varchar(50)
order_id : varchar(50)	status2 : varchar(50)	Crimerecordsystem criminal	date : varchar(50)		 sex : varchar(50)
accuser_id : varchar(50)		g criminal_id : varchar(50)	photo : varchar(50)	kebele : varchar(50)	age : int(11)
userid : varchar(50)	Crimerecordsystem criminalcase	 firstname : varchar(50) 	e description : text	village : varchar(50)	phoneno : int(11)
accused_firstname : varchar(50)	<pre>@ criminalcase_id : int(11)</pre>	fathername : varchar(50)		 date : varchar(50) phote : varchar(50) 	 educationlevel : varchar(50)
accused_fathername : varchar(50)	criminal id : varchar(50)	gfathername : varchar(50)		 photo : varchar(50) description : text 	job : varchar(50)
accused_gfathername : varchar(50)	 crimetype : varchar(50) 	sex : varchar(50)	n erimere eardeucters comple	C. contraction of the second	 workplace : varchar(50)
sex : varchar(50)	 crimelevel : varchar(50) 	age : int(11)	Crimerecordsystem complete id : uprebar(50)	annequest	kebele : varchar(50)
kebele : varchar(50)	 kebele : varchar(50) 	phoneno : int(11)	<pre>e complaint_id : varchar(50) firstname : varchar(50)</pre>		 status : varchar(50)
village : varchar(50)	 village : varchar(50) 	o village : varchar(50)	 firstname : varchar(50) fathername : varchar(50) 		email : varchar(50)
Crime_commited_dates : varchar(50)	 RecordedDate : varchar(50) 	kebele : varchar(50)	fathername : varchar(50)	_	photo : varchar(50)
appointment_dates : varchar(50)	-	educationlevel : varchar(50)	gfathername : varchar(50)		description : text
crimetype : varchar(50)	 date : varchar(50) month : varchar(50) 	job : varchar(50)	o complaintype : varchar(50)		 status2 : varchar(50)
crimelevel : varchar(50)	 month : varchar(50) varchar(50) 	🖻 date : date	 date : varchar(50) assistmentdate : varchar(50) 		
description : text	 year : varchar(50) description : text 	month : int(11)	 apointmentdate : varchar(50) 		
status : varchar(50)	 description : text a photo : variabar/50) 	# year : int(11)	 status : varchar(50) 		
	photo : varchar(50)	photo : varchar(50)	description : text		

Figure 19. Persistence data management

3.8. Access Control and Security

In these aspects of the system design issues of the Samara police station crime management system, we are concerned about two things: protecting the system from external threats and ensuring that the normal day-to-day operation of the

system processes data in a controlled manner. Therefore, we are focusing on the design to ensure the secure operation of the information system and safeguard the information and assets stored in it so that the Samara police station crime management system runs properly. This means that in the design, we are concerned with information security and application controls.

Table 9. Access	Table 9. Access control and security for WBCMS					
Actors						
Administrator	Customer	Preventive Police	Detective Officer	Police Head	Complaint	HR Manager
Manage account			Order police	Assign placement		
Create account	-Give comment				Give nomination	
-View-user activity -View Employee	View missing person	 -View missing person -View complaint -View order -View placement -View notice -View criminal -View nomination 	-View accused -View FIR -View criminal	-View missing person -View placement -View response -View criminal report	-View missing person -View response	-View Employee
Take backup		Send account request			Send request	Update Employee
				-Post notice -Post missing person		
		-Register criminal -Register crime -Register complaint	-Register accuser -Register accused -Register witness -Register FIR			Register Employee

3.9. User Interface

User interface design is the design of a system with a focus on the user's experience and interaction. The main goal of user interface design is to make the user's interaction as simple and efficient as possible.

In this system, users would communicate with the system through the following user interface elements: links, buttons, forms, and pictures that are described under the system. The following interface design describes the logical

characteristics of some interfaces between the system and the users.




Figure 20. Home Page user interface

	BASED CRIME MANAGEMENT SYSTEM FOR SAMARA CITY MAIN F TION Comment(3) Nomination(1) Post Missing Person Logout	
Police head task		
View Employee	Post Notice	
Post Notice	Title Enter Title	
Assign Placement	Sender Commander Ali	
View Placement	Post Date 2022-08-20	welcome Commander Ali
View missing Person	Meeting Date m / dd / yyyy	
Mis_person_Nomination(4)	File	
View Response(1)		
View Criminal report		
Copyright ©2022 All Rights Reserv	ved! S f 🔤 M 💁 In Developed By IT 4 th Year	

Figure 21. Police Head Post Notice Form user interface

STATI	ION				R SAMARA CIT	TY MAIN POLICE	
Home	Order Police	View FIR	View Cr	iminal Logout			
Register Acusser					*	1.2	
Register Acussed	Search Search	sh by first name					100
Register Witness		Accuser Regi	stration	Form			3A
View Accuser	Accuser ID:	Enter accuser ID Number	Education Level:	Enter Education level	8		S (
View Acussed	First Name:	Enter First Name	Email:	Enter email		welco	ome
View Witness	Father Name:	Enter Father Name	Kebele:	Enter kebele			
Register FIR	G.Father Name:	Enter Grand Father Name					
	status:	Select status	Village:	Enter village			
	Sex:	Select Sex 🗸	Date:	mm/dd/yyyy			
	Age:	Enter Criminal Age	Phone No:	Enter Phone Number			
	Photo:	Choose File No file chosen	Description	Enter your description			
	- Hegister 4	fessel			•		
	_	The second second	_				
Copyright ©2022 All Rights Reserve	d!	8 f 🔤 🛛	1	in ₁	Developed By IT 4 th Year		

Figure 22. Detective Officer Accuser Registration Form user interface




Figure 23. Complaint Page user interface

Chapter Four

4. Implementation and Testing

4.1. Implementation Overview

Implementation is the execution of any idea, model, or method in information technology. It refers to the process of setting up new software and hardware after a purchase is made. Implementation in the system includes implementing the attributes and methods of each object and integrating all the objects in the system to function as a single system. The implementation activity spans the gap between the detailed object design model and a complete set of source code files that can be compiled together.

The objective of the system implementation phase is to convert the final physical system specification into working and reliable software and hardware, document the work that has been done, and provide help for current and future users.

While we were thinking about developing this web-based application system, we encountered a number of constraints,

but the following are the most common:

- Lack of fast internet access
- Lack of time
- Lack of resources such as computers, laptops, etc.

converting a logical design into an application using selected programming languages. To develop this project, the team members used the following programming languages: PHP, HTML, JavaScript, and CSS.

PHP is a server-side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, and even to build entire e-commerce sites.

It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server.

4.2. Algorithm Design

An algorithmic view of a problem gives insight that may make a program simpler to understand and to write. Every algorithm needs a process in order to be created and utilized, and they need the four stages of algorithm analysis: design, implement, and experiment.

4.3. Sample Code and Description

//Sample codes for home page or index
php</td
session_start();
include("connection.php");
?>
html
<html></html>
<head></head>
<title>home page</title>
k href="css/mystylesheethome.css" rel="stylesheet" type="text/css"/>
<body></body>
<div id="wrapper"></div>

<div id="header"> <? php require("header.php"); ?> </div> <div id="headermenu"> <? php require("headermenu.php"); ?> </div> <div id="maincontent"> <div id="ContentLeft"> <? php require("homesidemenu.php"); ?> </div> </div> <div id="ContentCenter"> <div style="border:solid 4px #dldbeg;overflow:scroll;overflow-y: scroll"> <? php // require("Animation.php"); ?>

<h1 style="color:blue; font-size: 25px;"> SAMARA CITY MAIN POLICE STATION</h1>

<mark> Samara city main police station</mark> is a building that serves to accommodate police officers and other members of staff. These buildings often contain offices and accommodations for personnel and vehicles, along with locker rooms, temporary holding cells, and interview and interrogation rooms.

<center> <h2 style="margin-left: 40px; color:blue"> LOCATION<h2></center>

<mark> Samara city main police station</mark> is found in Samara city, which is located in <mark>Afar Regional State. </mark> It was established in 1984 E.C. for the purpose of protecting local communities from criminal activities. <mark>Samara city police station</mark> found near the diesel suppliers in Samara city.

```
</div>
                          <div>
<img src="images/compound.jpg" width="95%" height="300px">
                         </div>
                          </div>
<div id="ContentRight">
              <? php
                            require("login.php");
                            ?>
                            </div>
                        </div>
<!-- footer-->
         <div id="footer">
                          <? php
                      require("footer.php");
                          ?>
    </div>
<!--end of main wrapper-->
</div>
</body>
</html>
```

4.4. Testing Overview

The test design is done by giving a possible combination of inputs in order to find out what the system's response would be for a particular input and to compare the expected result with the actual output. We used the following fault detection technique: In order to identify the possible faults that may occur during and after developing the system, it helps us to assure the quality of our project.

4.4.1. Testing Procedures and Features to Be Tested

Testing is a process to demonstrate the correctness of the program and is designed to analyze the logic used in the implementation of the system.

Testing by Requirements: The requirements that are tested by the group members during the implementation are correctness, performance, accuracy, security, and others.

Testing for correctness: Correctness determines how users can interact with the software and how the software should behave when it is used correctly. Users can easily interact with the application since it has an easily understandable interface, and the application responds correctly.

Performance testing: The team members measure the system parameters in terms of system responsiveness, which is related to time availability and scalability.

Security Testing: The team members ensure the security of the system by authenticating users when they log in with the correct username and password. The system allows only authorized users to log in to accounts that have previously been created through their username and password. The system also uses session management, time management, and requires changing passwords if the user is logging in for the first time.

Chapter Five

5. User Manual

5.1. Getting Started

In this chapter, we discuss in detail the installation process, how you have installed or are planning to install the system, and what difficulties or modifications were made during the installation. Our system installs some features on the computer

5.2. Installation Guide

As our system is a web-based system, it needs to be launched on a web server; in our case, a XAMPP server. Therefore, the installation guide starts from installing the server system to uploading our project, which is a web-based crime



management system for Samara City's main police station.


Installation of XAMPP Server:

• Step 1: Open the executable file



Figure 24. Open executable file of XAMPP server

Step 2: Select next without changing default values



Step 3: Select next

🖾 Setup			_		\times
Installation folder					83
Please, choose a folder to install X	AMPP				
Select a folder C:\xampp		~			
XAMPP Installer		< Back	Next >	Ca	ncel
Figure 26. Select next during execution					

Step 4: Select next

🖾 Setup			_	
Bitnami for XAMPP				83
	Drupal, Joomla source apps o https://bitnam	n top of your e	ee installers that and many other p kisting XAMPP ins	opular open

Step 5: Select next

🖾 Setup		_		\times
Ready to Install				83
Setup is now ready to begin installing XAMPP on yo	our computer.			
XAMPP Installer	< Back	Next >	Can	cel
Figure 28. Select next during execution				

- Step 6: After installation finishes, open the XAMPP icon from the toolbar expansion
- Step 7: The next step will guide you in uploading and launching our system
 - Locate our system source code folder.
 - Copy the contents to the XAMPP server's htdocs directory (typically located at C:\Xampp\htdocs).
 - Launch the XAMPP server and click on the "Start" button to initiate services for both Apache and MySQL.

XAMPP Control Panel v3.2.2 Modules PID(s) Port(s) Actions Service Module PID(s) Port(s) Actions Apache Start Admin Config Logs MySQL Start Admin Config Logs Explorer FileZilla Start Admin Config Logs @ Help Tomcat Status change detected: running Logs @ Quit 2:12:22 PM [Mysql] Attempting to start MySQL app Config Logs @ Quit 2:12:22 PM [Mysql] Attempting to stort MySQL app Config Logs @ Quit 2:12:22 PM [Mysql] Attempting to stort MySQL app Config Logs @ Quit 2:12:22 PM [Mysql] Attempting to stort MySQL app Config Logs @ Quit 2:12:23 PM [Mysql] Attempting to story Apache (PID: 6928) Config Quit PM 2:33:24 PM [Apache] Attempting to story Apache (PID: 6928) Config Config Quit PM 2:33:24 PM [Apache] At	🔀 XAMPP	Control Pan	el v3.2.2 [Con	npiled: Nov 12th 2	2015]			-		
Service Module PID(s) Port(s) Actions Apache Start Admin Config Logs MySQL Start Admin Config Logs FileZilla Start Admin Config Logs Mercury Start Admin Config Logs Tomcat Start Admin Config Logs 2:12:22 PM [Apache] Status change detected: running Attempting to start MySQL app 2:12:29 PM [mysqi] Status change detected: running Attempting to start MySQL app 2:12:29 PM [mysqi] Status change detected: running Attempting to stop Apache (PID: 7628) 2:33:24 PM [Apache] Attempting to stop Apache (PID: 6928) Status change detected: stopped 2:33:24 PM [Apache] Attempting to stop Apache (PID: 6928) Status change detected: stopped 2:33:26 PM [mysqi] Status change detected: stopped Attempting to stop MySQL app 2:33:26 PM [mysqi] Status change detected: stopped Status change detected: stopped 2:33:26 PM [mysqi] Status change detected: stopped St	83	XAN	APP Contr	ol Panel v3	.2.2				Je Config	
MySQL Start Admin Config Logs FileZilla Start Admin Config Logs Mercury Start Admin Config Logs Tomcat Start Admin Config Logs 2:12:22 PM [Apache] Status change detected: running Logs Image: Config Logs 2:12:29 PM [mysql] Attempting to start MySQL app Config Logs Image: Config		Module	PID(s)	Port(s)	Actions				Netstat	
FileZilla Start Admin Config Logs Mercury Start Admin Config Logs Tomcat Start Admin Config Logs 2:12:22 PM [Apache] Status change detected: running Logs Image: Config Logs 2:12:22 PM [Apache] Status change detected: running Config Logs Image: Config Config<		Apache			Start	Admin	Config	Logs	Shell	
Mercury Start Admin Config Logs Tomcat Start Admin Config Logs 2:12:22 PM [Apache] Status change detected: running Quit 2:12:29 PM [mysql] Attempting to start MySQL app 2:12:31 PM [mysql] Status change detected: running 2:33:24 PM [Apache] Attempting to stop Apache (PID: 7628) 2:33:24 PM [Apache] Attempting to stop Apache (PID: 6928) 2:33:24 PM [Apache] Status change detected: stopped 2:33:26 PM [mysql] Attempting to stop MySQL app 2:33:26 PM [mysql] Status change detected: stopped		MySQL			Start	Admin	Config	Logs	Explorer	-
Tomcat Start Admin Config Logs 2:12:22 PM [Apache] Status change detected: running 2:12:29 PM [mysql] Attempting to start MySQL app 2:12:31 PM [mysql] Status change detected: running 2:33:24 PM [Apache] Attempting to stop Apache (PID: 7628) 2:33:24 PM [Apache] Attempting to stop Apache (PID: 6928) 2:33:26 PM [Mysql] Status change detected: stopped 2:33:26 PM [mysql] Status change detected: stopped 2:33:26 PM [mysql] Status change detected: stopped		FileZilla			Start	Admin	Config	Logs	Services	5
2:12:22 PM [Apache] Status change detected: running 2:12:29 PM [mysql] Attempting to start MySQL app 2:12:31 PM [mysql] Status change detected: running 2:33:24 PM [Apache] Attempting to stop Apache (PID: 7628) 2:33:24 PM [Apache] Attempting to stop Apache (PID: 7628) 2:33:24 PM [Apache] Attempting to stop Apache (PID: 6928) 2:33:24 PM [Apache] Status change detected: stopped 2:33:26 PM [mysql] Attempting to stop MySQL app 2:33:26 PM [mysql] Status change detected: stopped		Mercury			Start	Admin	Config	Logs	🕑 Help	
2:12:29 PM [mysql]Attempting to start MySQL app2:12:31 PM [mysql]Status change detected: running2:33:24 PM [Apache]Attempting to stop Apache (PID: 7628)2:33:24 PM [Apache]Attempting to stop Apache (PID: 6928)2:33:24 PM [Apache]Status change detected: stopped2:33:26 PM [mysql]Status change detected: stopped2:33:26 PM [mysql]Status change detected: stopped		Tomcat			Start	Admin	Config	Logs	Quit	
	2:12:29 P 2:12:31 P 2:33:24 P 2:33:24 P 2:33:24 P 2:33:24 P 2:33:26 P	M [mysql] M [mysql] M [Apache M [Apache M [Apache M [mysql]	Attempting Status cha Attempting Attempting Status cha Attempting	g to start MySQI ange detected: ri g to stop Apache g to stop Apache ange detected: s g to stop MySQI	app unning (PID: 762) (PID: 692) topped app					

Figure 29. From the XAMPP server menu, click on star

Step 8: Finally, after clicking both Apache and MySQL, they show a green color or indicate they have started

working.

Modules	XAI	MPP Contr	ol Panel v3	.2.2				J ² Config
Service	Module	PID(s)	Port(s)	Actions				Netstat
	Apache	7628 6928	80, 443	Stop	Admin	Config	Logs	Shell
	MySQL	4424	3306	Stop	Admin	Config	Logs	Explorer
	FileZilla			Start	Admin	Config	Logs	Services
	Mercury			Start	Admin	Config	Logs	🕑 Help
	Tomcat			Start	Admin	Config	Logs	Quit
2:11:39 P 2:11:39 P 2:11:39 P 2:12:22 P 2:12:22 P 2:12:22 P 2:12:29 P	M [main] M [main] M [main] M [main] M [Apache M [Apache M [mysql] M [mysql]	Initializing Starting CH Control Pa Attempting Status cha Attempting	neck-Timer	unning L app				

Figure 30. Last step for XAMPP server installation

Chapter Six

6. Conclusion and Recommendation

6.1. Conclusion

As a central part of this study, a detailed analysis and design were conducted to develop an automated criminal records system for the Samara police station. The project aims to develop a simple and user-friendly automated criminal records system for the Samara police station. The project is almost simple, interactive, and a time-saving system, and this project encourages us to think broadly and hopefully. Before this time, it was thought that developing projects in different programming languages was very difficult work. But now, it has become easy to understand and develop such systems.

6.2. Recommendation

The system that we developed is a web-based criminal record system for the Samara City Police Station. While using this system, the team members have faced different challenges. However, with the cooperation of all the group members, the team is now able to reach the final result; that is, all the group members have strongly fought these challenges and taken the lead. We strongly recommend it to everyone involved in the criminal record system; our new system has provided better service than the existing system by fostering better interaction among them. Our recommendation to other system developers is to develop an Android part for the system.

Reference

- Fluchtplan erstellen. (2023). Police Station Record Management System | Mayurik. MAYURIK. Retrieved from <u>https://mayurik.com/source-code/P7666/police-station-record-management-system</u>
- Khan, A., Singh, A., Chauhan, A., & Gupta, A. (2019). Crime management system. International Research Journal of Engineering and Technology (IRJET), 6(4). Retrieved from <u>https://www.irjet.net/archives/V6/i4/IRJET-V6I4455.pdf</u>
- Legal Information Institute. (2023). Criminal [Definition]. In Wex | US Law | LII. Retrieved from
 <u>https://www.law.cornell.edu/wex/criminal</u>