## Open Peer Review on Qeios

## Stage III Laryngeal Cancer AJCC v8

National Cancer Institute

## Source

*National Cancer Institute. <u>Stage III Laryngeal Cancer AJCC v8</u>. NCI Thesaurus. Code C133160.* 

Stage III includes: (T3, N0, M0); (T1, N1, M0); (T2, N1, M0); (T3, N1, M0). T3: Supraglottis: Tumor is limited to larynx with vocal cord fixation and/or invades any of the following: postcricoid area, preepiglottic space, paraglottic space, and/or inner cortex of thyroid cartilage. Glottis: Tumor is limited to the larynx with vocal cord fixation and /or invades the paraglottic space, and/or inner cortex of the thyroid cartilage. Subglottis: Tumor is limited to the larynx with vocal cord fixation and/or invades the paraglottic space and/or inner cortex of the thyroid cartilage. T1: Supraglottis: Tumor is limited to one subsite of supraglottis with normal vocal cord mobility. Glottis: Tumor is limited to the vocal cord(s) (may involve anterior or posterior commissure) with normal mobility. Subglottis: Tumor is limited to the subglottis. T2: Supraglottis: Tumor invades the mucosa of more than one adjacent subsite of supraglottis or glottis or region outside the supraglottis (e.g., mucosa of base of the tongue, vallecula, medial wall of pyriform sinus) without fixation of the larynx. Glottis: Tumor extends to supraglottis and/or subglottis, and/or with impaired vocal cord mobility. Subglottis: Tumor extends to vocal cord(s) with normal or impaired mobility. N0: No regional lymph node metastasis. N1: Metastasis in a single ipsilateral lymph node, 3 cm or less in greatest dimension and ENE(-). MO: No distant metastasis. (AJCC 8th ed.)