

v1: 2 August 2024

Review Article

Thermal Stress and Dengue Fever: Exploring the Correlation between Elevated Temperatures and Heat Waves in Disease Dynamics

Peer-approved: 2 August 2024

© The Author(s) 2024. This is an Open Access article under the CC BY 4.0 license.

Qeios, Vol. 6 (2024)
ISSN: 2632-3834

Shoukat Bukhari^{1,2}, Salauddin Ali Khan³, Jahanzeb Malik⁴, Amna Ashraf⁵, Khizer Yaseen⁶, Ali Karim⁷, Maria Faraz⁸

1. Army Medical College, Rawalpindi, Pakistan; 2. Department of Medicine, Combined Military Hospital, Rawalpindi, Pakistan; 3. Independent researcher; 4. Department of Cardiovascular Medicine, Cardiovascular Analytics Group, Canterbury, United Kingdom; 5. Institute of Medical Sciences, Varanasi, India; 6. Department of Medicine, Hamdard University, Pakistan; 7. Department of Medicine, Liaquat University of Medical & Health Sciences Jamshoro, Pakistan; 8. Bahria University, Pakistan

This article explores the intricate connection between high temperatures, heatwaves, and the prevalence of Dengue fever. It investigates how elevated temperatures impact Aedes mosquito vectors, the Dengue virus, and human behavior, thereby increasing the risk of disease transmission during heatwaves. The article highlights the significance of epidemiological studies and recent advancements in predictive modeling, vector control, and vaccine development in unraveling this complex relationship. The urgency of addressing the intersection of climate change and Dengue is emphasized, given the expanding regions affected by Dengue and the wide-reaching consequences on public health and society. The conclusion underscores the imperative need for collaborative efforts among researchers, policymakers, and the global community to mitigate climate-induced risks and foster a more resilient future.

Corresponding author: Jahanzeb Malik, heartdoc86@gmail.com

Introduction

In recent years, the world has witnessed a significant increase in the frequency and intensity of heatwaves and high-temperature events, largely attributed to the effects of climate change [1]. These extreme weather conditions pose multifaceted challenges to human health, ecosystems, and infrastructure [2]. Among the myriad health concerns exacerbated by rising temperatures, the impact of heatwaves on the transmission and prevalence of vector-borne diseases

has garnered increasing attention from researchers, public health officials, and policymakers [2].

One such vector-borne disease that has come under scrutiny in the context of heat waves is Dengue fever. Dengue fever, caused by the Dengue virus and primarily transmitted through the bite of infected Aedes mosquitoes, has been a growing global health concern over the past few decades [3]. With its geographic range expanding and the number of cases steadily rising, understanding how high temperatures and heatwaves influence the dynamics of Dengue transmission has become paramount for both mitigating the disease's impact and implementing effective public health

interventions. This investigation aims to delve into the complex interplay between elevated temperatures, heat waves, and the occurrence of Dengue fever. It seeks to elucidate the various mechanisms through which elevated temperatures may impact the vectors, virus, and human behaviors, ultimately shaping the epidemiology of Dengue. Through a comprehensive review of existing research and insights, we aim to shed light on the complex interactions that occur within this ecological and climatic nexus. By gaining a deeper understanding of how high temperatures and heat waves influence Dengue fever, we can better equip ourselves to develop proactive strategies for disease prevention, early detection, and targeted interventions. Moreover, this investigation underscores the pressing need for global climate action and adaptation measures to mitigate the adverse health consequences of a warming world.

Dengue Fever: A Brief Overview

Dengue fever, a viral illness caused by the Dengue virus, is primarily propagated through the bites of infected *Aedes* mosquitoes, most notably *Aedes aegypti* and *Aedes albopictus* [4]. Understanding the structure and characteristics of the Dengue virus is fundamental in the context of this review, as it allows for a comprehensive examination of how environmental factors, particularly high temperatures and heat waves, can influence the dynamics of virus transmission. These *Aedes* mosquitoes play a pivotal role in transmitting the virus, and their interactions with changing environmental conditions are central to understanding the impact of climate on Dengue [5]. On a global scale, Dengue fever presents a substantial public health challenge [6]. It has established endemicity in regions spanning tropical and subtropical areas worldwide [7]. Notably, the prevalence of Dengue is not limited to one specific geographic region, as it continues to extend its reach into previously non-endemic zones [8]. This geographic distribution provides critical context for assessing how climate-related shifts can affect the disease's prevalence and geographic expansion. The epidemiology of Dengue is dynamic and has undergone significant changes over the years. These changes are attributed to various factors, including urbanization, population growth, travel, and climate change [8]. In particular, climate change, with its associated rise in global temperatures, has contributed to the alteration of Dengue transmission patterns [9]. The disease exerts a significant burden on public health systems in affected

regions [10]. This burden encompasses high incidence and prevalence rates, with millions of cases reported annually [11]. Moreover, Dengue carries an increased risk of morbidity and mortality, often affecting vulnerable populations [8]. The social and economic impacts of Dengue are substantial, affecting both individuals and entire communities [12]. Controlling and preventing Dengue outbreaks is a complicated endeavor. One of the primary challenges is the lack of specific antiviral treatments for the disease [13]. Vaccine limitations and concerns about vaccine efficacy further add to the complexity of Dengue control efforts [13]. Furthermore, vector control, which involves managing mosquito populations and minimizing human-mosquito interactions [14], is a cornerstone of Dengue prevention. In the context of this review, it is imperative to explore how rising temperatures and heat waves can affect the behavior and survival of *Aedes* mosquitoes, as these factors have direct implications for Dengue transmission.

Climate Change and Dengue Fever

Climate change is increasingly recognized as a significant driver in the distribution, transmission, and prevalence of vector-borne diseases, with Dengue fever standing as a prominent example [15]. This section delves into the complex interplay between climate change and Dengue fever, shedding light on the multifaceted ways in which a changing climate can impact the dynamics of this disease. Climate change, primarily caused by the rise in greenhouse gas emissions, manifests through a range of environmental shifts [16]. Among these shifts, rising temperatures, altered precipitation patterns, and the occurrence of extreme weather events are key components [16]. These changes, in turn, have far-reaching consequences for the spread of Dengue. Rising temperatures play a pivotal role in this equation [17]. They can significantly influence the life cycle and behavior of *Aedes* mosquitoes, which are the primary vectors for the Dengue virus [18]. High temperatures can expedite mosquito development, increase their reproductive rates, and enhance their survival, all of which intensify the transmission of Dengue [19]. Furthermore, warmer temperatures can expand the geographical range of these mosquitoes, potentially exposing previously unaffected regions to the risk of Dengue transmission [2].

However, climate change is not solely about temperature. Altered precipitation patterns are another noteworthy factor [20]. Changes in rainfall can affect the availability of breeding sites for *Aedes* mosquitoes, as they rely on stagnant water for their larvae to develop [21]. Extreme rainfall events, followed by periods of drought, can create ideal conditions for mosquito breeding in containers and water storage systems [22]. One of the most profound impacts of climate change on Dengue is the shift in disease dynamics [23]. Dengue outbreaks are no longer confined to specific seasons, with unexpected occurrences becoming more common [8]. This unpredictability poses a substantial challenge to public health preparedness and response measures.

Vulnerable populations, particularly in low-resource regions, bear the brunt of the interactions between climate change and Dengue fever [24]. Inadequate housing, poor sanitation, and limited access to healthcare can exacerbate the impacts of climate-induced changes in disease transmission [25]. These disparities further underscore the social implications of climate change and Dengue fever.

High Temperatures and *Aedes* Mosquito Vectors

High temperatures can significantly influence the development of *Aedes* mosquitoes [18]. Warmer environments accelerate the mosquito's life cycle, leading to shorter development times from egg to adult [26]. Consequently, higher temperatures can enhance mosquito reproductive rates, resulting in larger populations [27]. This not only increases the number of potential vectors for the Dengue virus but also shortens the time between generations, potentially intensifying disease transmission [19]. Moreover, high temperatures can affect mosquito behavior in several ways [18]. These changes can include altered feeding patterns, increased host-seeking activity, and modified flight activity [18]. *Aedes* mosquitoes tend to be more active and persistent in their search for blood meals in warmer conditions, potentially leading to more frequent human-mosquito interactions [28]. This heightened activity increases the chances of disease transmission when infected mosquitoes bite humans. Survival rates of *Aedes* mosquitoes are also impacted by temperature [29]. Higher temperatures can reduce the lifespan of these vectors [26]. While this may seem like a favorable outcome, it paradoxically increases the

potential for Dengue transmission. Mosquitoes with shorter lifespans may become infected with the Dengue virus sooner after hatching, making them more likely to transmit the virus during their relatively brief lives [30]. It's important to recognize that the effects of high temperatures on *Aedes* mosquitoes can vary depending on local environmental conditions, such as humidity and the availability of breeding sites [29]. Additionally, temperature changes can influence the distribution and behavior of *Aedes* species, potentially expanding their geographic range and exposing previously unaffected areas to Dengue risk [21][8][29].

High Temperatures and Dengue Virus

The Dengue virus, a causative agent of Dengue fever, is not only sensitive to changes in temperature but also profoundly influenced by high temperatures [17]. One of the most direct impacts of high temperatures on the Dengue virus is its replication and development within its mosquito vectors [26]. Warmer temperatures can accelerate the virus's replication cycle, leading to a higher viral load within the mosquito's body [26]. This can result in an increased likelihood of a mosquito becoming infectious sooner after acquiring the virus, thus enhancing the potential for disease transmission [31]. Furthermore, high temperatures can influence the survival of the Dengue virus outside of its mosquito host [26]. The virus tends to have a shorter lifespan in warm and arid conditions [26]. While this might seem advantageous for controlling the virus, it can, paradoxically, lead to a higher transmission rate. The shortened survival time forces the virus to infect new hosts more rapidly, contributing to an elevated transmission rate during periods of high temperature [30]. The implications of high temperatures on the Dengue virus extend beyond the mosquito vector. Elevated temperatures can also impact the transmission dynamics between humans [9]. For instance, individuals may engage in different behaviors, such as spending more time outdoors during hot weather, increasing their exposure to mosquito bites and, consequently, to the virus [32].

Human Behavior and Heatwaves

Human behavior undergoes significant shifts during periods of heatwaves, which have far-reaching implications for public health [33]. Elevated temperatures often prompt alterations in daily activities

as people seek refuge from the heat by staying indoors, reducing their outdoor exposure, and modifying their routines [34]. In response to the rising demand for cooling systems during heatwaves, energy consumption surges, potentially straining power grids and leading to power outages, which can drive individuals outdoors in search of relief [35]. Water shortages during these episodes can lead to increased water storage in containers and tanks, inadvertently creating breeding sites for disease-carrying Aedes mosquitoes [36]. Furthermore, the temptation to travel to cooler locations during heat waves can increase the risk of introducing and spreading vector-borne diseases to new areas [2]. Public health measures, such as mosquito control programs and advisories, are often implemented during heatwaves, necessitating human compliance for their effectiveness [34]. Vulnerable populations, such as the elderly and those with preexisting health conditions, are especially at risk and may need to modify their behavior during extreme heat, affecting their susceptibility to diseases like Dengue fever [37]. Recognizing the interplay between human behavior and heat waves is paramount for effective public health strategies aimed at mitigating health risks during extreme temperature events [33].

Epidemiological Studies and Observations

The study's results indicated that the risk of dengue infection increased by 13% for each 1°C rise in high temperatures above the reference values [38]. This finding was consistent with a similar estimate from a meta-analysis conducted in 2023 [39]. Temperature affects dengue transmission through various mechanisms, including its impact on the mosquito's reproductive cycle, feeding activities, and the virus's extrinsic incubation period (EIP). Viral replication of dengue peaks at around 35°C, which is higher than the temperature at which adult mosquito survival and feeding activities decline, reducing the potential for dengue transmission [40]. This could explain why the relative risk associated with minimum and mean temperatures was higher than that for maximum temperature. The study also found that the time resolution, or the monthly analysis, showed a higher relative risk [38]. This could be related to the mosquito's lifespan, the EIP, survivorship, and feeding frequency, all of which play a role in dengue transmission. Subgroup analysis for high-temperature studies revealed higher relative risks in tropical and humid

subtropical climate zones. This might be due to the high relative humidity in these areas, which is conducive to mosquito breeding. The widespread presence of the Aedes mosquito vector in tropical and subtropical regions also contributes to the increased risk of dengue. The impact of heatwaves on dengue incidence has not been extensively studied, and the few studies included reported mixed results. The variation in how heat waves were defined across different regions and climate zones could explain these differences, making it difficult to confirm heat waves as a risk factor for dengue. More consistent definitions for heatwaves are needed for further research [41]. The study identified significant heterogeneity, which could be attributed to underreporting of dengue cases, discrepancies in exposure and outcome measurement, adjustments for confounding factors like rainfall and relative humidity, and various unaccounted environmental, social, and demographic factors. Overall, the causes of this heterogeneity were not entirely clear, indicating the need for more comprehensive and standardized research in the field.

Public Health Implications

The convergence of high temperatures, heatwaves, and Dengue fever carries significant public health implications, necessitating a multifaceted approach to address the challenges posed by these interconnected factors. This section explores the critical public health considerations and strategies for managing the impact of high temperatures and heat waves on the prevalence of Dengue fever.

Challenges in Dengue Control

As high temperatures and heat waves exacerbate Dengue transmission, public health systems face a host of challenges [42]. With surges in Dengue cases during heatwaves, healthcare facilities may be overwhelmed, potentially leading to a strain on medical resources and staff [7]. The absence of specific antiviral treatments for Dengue and the limitations surrounding vaccines underscore the significance of effective vector control measures and early interventions [43]. Dengue control during periods of elevated temperature becomes even more complex [17], necessitating the development of adaptive strategies.

Adaptation Measures for Health Systems

To address the evolving epidemiology of Dengue under the influence of heat waves, public health agencies need to adapt their strategies. A critical component of this adaptation is bolstering healthcare infrastructure to accommodate the surge in Dengue cases [44]. This involves ensuring the availability of medical supplies, enhancing the training of healthcare personnel to manage the increased patient load effectively, and providing facilities that can handle a higher volume of patients during disease outbreaks.

Early Warning Systems and Preparedness

Developing and enhancing early warning systems is imperative for public health preparedness. These systems should integrate climate data, epidemiological surveillance, and predictive models to anticipate potential Dengue outbreaks during periods of elevated temperatures [45][46]. Timely warnings enable public health authorities to mobilize resources, implement control measures proactively, and engage in community outreach to educate individuals about protective measures. These efforts are pivotal in reducing the impact of heatwaves on Dengue transmission.

Educational Campaigns

Public awareness campaigns are instrumental in preventing Dengue transmission during heatwaves [46]. Effective educational campaigns must inform the public about the risks associated with high temperatures and their interactions with Dengue [46]. These campaigns can emphasize the importance of mosquito control measures, the significance of personal protection strategies to minimize mosquito-human interactions, and the need for early healthcare-seeking behavior among symptomatic individuals.

Vector Control Strategies

The intensified transmission of Dengue during heatwaves underscores the critical role of vector control strategies [46]. These may include the elimination of breeding sites through community involvement, the judicious application of insecticides, and innovative approaches such as the release of genetically modified or Wolbachia-infected mosquitoes to reduce the Aedes population [47]. These measures help reduce the

number of disease vectors and minimize the risk of Dengue transmission, particularly during periods of heightened disease activity.

Urban Planning and Infrastructure Resilience

Sustainable urban planning and infrastructure resilience are essential for Dengue prevention during heat waves. Well-designed drainage systems, the incorporation of green spaces, and efficient waste management can help reduce breeding sites for mosquitoes [48]. Resilient infrastructure can withstand extreme weather events and minimize disruptions to healthcare services, thus contributing to disease control during periods of heat stress [49].

Policy Implications and Recommendations

Policymakers play a crucial role in addressing the broader implications of climate change on public health, including Dengue transmission. Recognizing the urgency of climate mitigation efforts is essential for long-term disease prevention [50]. Policymakers should also consider comprehensive policies addressing housing quality, sanitation, and access to healthcare to reduce Dengue risk, particularly among vulnerable populations [51]. These policy measures aim to create an environment that is less conducive to both mosquito breeding and the spread of Dengue.

Climate Change Mitigation and Dengue Fever

Climate change mitigation efforts play a crucial role in the fight against Dengue fever by addressing the fundamental causes of rising global temperatures and their associated impacts on the prevalence and distribution of this mosquito-borne disease [2]. The reduction of greenhouse gas emissions, a central objective of climate change mitigation, holds significant promise in mitigating the increased risk of Dengue transmission associated with higher temperatures [52]. Additionally, the conservation of natural ecosystems and biodiversity, integral to climate mitigation, can help maintain ecological balance, reducing Aedes mosquito populations and Dengue risk [42]. Sustainable land use and urban planning practices, which climate mitigation strategies promote, can minimize environments conducive to mosquito

breeding [37]. Investment in clean energy and transportation options aids in both mitigating temperature increases and limiting the spread of Dengue to new regions [53]. Community resilience and adaptation, as part of climate mitigation, strengthen healthcare systems and vector control measures, facilitating better Dengue management during extreme temperature events [37]. Furthermore, global collaboration through international agreements fosters shared knowledge and cooperative efforts to reduce greenhouse gas emissions and curb global warming [54]. In essence, climate change mitigation is inseparable from Dengue prevention, offering a holistic approach to reducing the burden of this disease in the face of a changing climate.

Recent Advances and Ongoing Research

In the ever-evolving landscape of climate change and Dengue fever, recent advances and ongoing research are at the forefront of our efforts to understand, prevent, and manage the complex interplay between high temperatures, heat waves, and Dengue transmission. One notable breakthrough lies in climate modeling and prediction, which has become increasingly sophisticated [55]. These models now incorporate a plethora of climate variables and historical epidemiological data, offering more accurate predictions of extreme weather events and Dengue outbreaks [55]. Genetic approaches for mosquito control represent a promising avenue [56]. Ongoing research into genetically modified mosquitoes and the introduction of Wolbachia-infected populations aims to disrupt Aedes mosquito populations and Dengue transmission dynamics, particularly during heatwaves [57]. Climate change adaptation research focuses on strengthening healthcare infrastructure, vector control strategies, and public health responses during extreme heat events [58]. This work evaluates the effectiveness of adaptive measures in preventing and managing Dengue outbreaks under climate change scenarios. In vaccine development, ongoing research refines vaccine formulations and addresses challenges related to efficacy and cross-reactivity among Dengue stereotypes [59]. Genomic studies offer insights into genetic variations in the Dengue virus and Aedes mosquito populations, potentially revealing targets for intervention [60]. Moreover, ongoing research emphasizes the importance of community engagement and public awareness campaigns to effectively

communicate the risks associated with high temperatures and Dengue, as well as the preventive measures [44][46]. Lastly, the integration of climate change and public health policies is under scrutiny, with research exploring frameworks and governance structures to enhance coordinated efforts in combating climate-induced health risks, including Dengue fever [58][61]. Collectively, these recent advances and ongoing research efforts form a critical foundation for more effective strategies to understand, prevent, and manage Dengue outbreaks during heatwaves and other climate-related events, ensuring that our response to this complex public health challenge remains adaptable and well-informed.

Conclusion

In summarizing the profound relationship between high temperatures, heatwaves, and Dengue fever, this exploration has unearthed complex interdependencies. We've unraveled how elevated temperatures affect the virus, its mosquito vectors, and human behavior, heightening the risk of Dengue transmission during heatwaves. This study has also emphasized the critical role of epidemiological research, recent advances, and ongoing studies in mitigating the impact of Dengue in a changing climate. The urgency of addressing climate change and Dengue is evident, given the increasing prevalence of heatwaves and the expansion of Dengue-endemic regions. The repercussions extend far and wide, affecting healthcare systems, economies, and communities. Thus, the call to action is clear: Researchers must continue their collaborative efforts, policymakers must prioritize climate change mitigation and adaptation, and the global community must unite to reduce emissions, raise awareness, and safeguard public health in a warming world. Through collective determination and strategic measures, we can navigate the challenges posed by climate change and Dengue fever, working towards a healthier, more resilient future for all.

Statements and Declarations

Funding

The authors received no funding for this manuscript

Conflict of interest

The authors declare no conflict of interest

References

1. [△]Perkins-Kirkpatrick SE, Lewis SC. Increasing trends in regional heatwaves. *Nat Commun*. 2020 Jul 3;11(1):3357. doi: 10.1038/s41467-020-16970-7. PMID: 32620857; PMCID: PMC7334217.
2. [△], [△], [△], [△], [△] Caminade C, McIntyre KM, Jones AE. Impact of recent and future climate change on vector-borne diseases. *Ann N Y Acad Sci*. 2019 Jan;1436(1):157-173. doi: 10.1111/nyas.13950. Epub 2018 Aug 18. PMID: 30120891; PMCID: PMC6378404.
3. [△]Lessa CLS, Hodel KVS, Gonçalves MS, Machado BAS. Dengue as a Disease Threatening Global Health: A Narrative Review Focusing on Latin America and Brazil. *Trop Med Infect Dis*. 2023 Apr 23;8(5):241. doi: 10.3390/tropicalmed8050241. PMID: 37235289; PMCID: PMC10221906.
4. [△]Murugesan A, Manoharan M. Dengue Virus. *Emerging and Reemerging Viral Pathogens*. 2020:281–359. doi: 10.1016/B978-0-12-819400-3.00016-8. Epub 2019 Sep 20. PMCID: PMC7149978.
5. [△]Abdulsalam FI, Antunez P, Yimthiang S, Jawjit W. Influence of climate variables on dengue fever occurrence in the southern region of Thailand. *PLOS Glob Public Health*. 2022 Apr 20;2(4):e0000188. doi: 10.1371/journal.pgph.0000188. PMID: 36962156; PMCID: PMC10022128.
6. [△]Hasan S, Jamdar SF, Alalawi M, Al Ageel Al Beaiji SM. Dengue virus: A global human threat: Review of literature. *J Int Soc Prev Community Dent*. 2016 Jan-Feb;6(1):1-6. doi: 10.4103/2231-0762.175416. PMID: 27011925; PMCID: PMC4784057.
7. [△], [△] Bhatt S, Gething PW, Brady OJ, Messina JP, Farlow AW, Moyes CL, Drake JM, Brownstein JS, Hoen AG, Sankoh O, Myers MF, George DB, Jaenisch T, Wint GR, Simmons CP, Scott TW, Farrar JJ, Hay SI. The global distribution and burden of dengue. *Nature*. 2013 Apr 25;496(7446):504-7. doi: 10.1038/nature12060. Epub 2013 Apr 7. PMID: 23563266; PMCID: PMC3651993.
8. [△], [△], [△], [△] Murray NE, Quam MB, Wilder-Smith A. Epidemiology of dengue: past, present and future prospects. *Clin Epidemiol*. 2013 Aug 20;5:299-309. doi: 10.2147/CLIPS.34440. PMID: 23990732; PMCID: PMC3753061.
9. [△], [△] Rocklöv J, Tozan Y. Climate change and the rising infectiousness of dengue. *Emerg Top Life Sci*. 2019 May 10;3(2):133-142. doi: 10.1042/ETLS20180123. PMID: 33523146; PMCID: PMC7288996.
10. [△]Jelinek T. Trends in the epidemiology of dengue fever and their relevance for importation to Europe. *Euro Surveill*. 2009 Jun 25;14(25):19250. PMID: 19555595.
11. [△]Dengue: Guidelines for Diagnosis, Treatment, Prevention and Control: New Edition. Geneva: World Health Organization; 2009. 1, EPIDEMIOLOGY, BURDEN OF DISEASE AND TRANSMISSION. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK143159/>
12. [△]Ladner J, Rodrigues M, Davis B, Besson MH, Audureau E, Saba J. Societal impact of dengue outbreaks: Stakeholder perceptions and related implications. A qualitative study in Brazil, 2015. *PLoS Negl Trop Dis*. 2017 Mar 9;11(3):e0005366. doi: 10.1371/journal.pntd.0005366. PMID: 28278157; PMCID: PMC5344327.
13. [△], [△] Obi JO, Gutiérrez-Barbosa H, Chua JV, Deredge DJ. Current Trends and Limitations in Dengue Antiviral Research. *Trop Med Infect Dis*. 2021 Sep 30;6(4):180. doi: 10.3390/tropicalmed6040180. PMID: 34698303; PMCID: PMC8544673.
14. [△]Lu HZ, Sui Y, Lobo NF, Fouque F, Gao C, Lu S, Lv S, Deng SQ, Wang DQ. Challenge and opportunity for vector control strategies on key mosquito-borne diseases during the COVID-19 pandemic. *Front Public Health*. 2023 Jul 24;11:1207293. doi: 10.3389/fpubh.2023.1207293. PMID: 37554733; PMCID: PMC10405932.
15. [△]Ma J, Guo Y, Gao J, Tang H, Xu K, Liu Q, Xu L. Climate Change Drives the Transmission and Spread of Vector-Borne Diseases: An Ecological Perspective. *Biology (Basel)*. 2022 Nov 7;11(11):1628. doi: 10.3390/biology11111628. PMID: 36358329; PMCID: PMC9687606.
16. [△], [△] Petrescu-Mag RM, Burny P, Banatean-Dunea I, Petrescu DC. How Climate Change Science Is Reflected in People's Minds. A Cross-Country Study on People's Perceptions of Climate Change. *Int J Environ Res Public Health*. 2022 Apr 2;19(7):4280. doi: 10.3390/ijerph19074280. PMID: 35409962; PMCID: PMC8998260.
17. [△], [△], [△] Damtew YT, Tong M, Varghese BM, Anikeeva O, Hansen A, Dear K, Zhang Y, Morgan G, Driscoll T, Capon T, Bi P. Effects of high temperatures and heatwaves on dengue fever: a systematic review and meta-analysis. *EBioMedicine*. 2023 May;91:104582. doi: 10.1016/j.ebiom.2023.104582. Epub 2023 Apr 21. PMID: 37088034; PMCID: PMC10149186.
18. [△], [△], [△] Nik Abdull Halim NMH, Che Dom N, Dapari R, Salim H, Precha N. A systematic review and meta-analysis of the effects of temperature on the development and survival of the Aedes mosquito. *Front Public Health*. 2022 Dec 19;10:1074028. doi: 10.3389/fpubh.2022.1074028. PMID: 36600940; PMCID: PMC9806355.
19. [△], [△] Siraj AS, Oidtmann RJ, Huber JH, Kraemer MUG, Brady OJ, Johansson MA, Perkins TA. Temperature modulates dengue virus epidemic growth rates through its effects on reproduction numbers and generation intervals. *PLoS Negl Trop Dis*. 2017 Jul 19;11(7):e0005797. doi: 10.

- 1371/journal.pntd.0005797. PMID: 28723920; PMCID: PMC5536440.
20. [△]Levy K, Smith SM, Carlton EJ. Climate Change Impacts on Waterborne Diseases: Moving Toward Designing Interventions. *Curr Environ Health Rep*. 2018 Jun;5(2): 272-282. doi: 10.1007/s40572-018-0199-7. PMID: 29721700; PMCID: PMC6119235.
 21. [△]Pascoe L, Clemen T, Bradshaw K, Nyambo D. Review of Importance of Weather and Environmental Variables in Agent-Based Arbovirus Models. *Int J Environ Res Public Health*. 2022 Nov 24;19(23):15578. doi: 10.3390/ijerph192315578. PMID: 36497652; PMCID: PMC9740748.
 22. [△]Nosrat C, Altamirano J, Anyamba A, Caldwell JM, Damoah R, Mutuku F, Ndenga B, LaBeaud AD. Impact of recent climate extremes on mosquito-borne disease transmission in Kenya. *PLoS Negl Trop Dis*. 2021 Mar 18; 15(3):e0009182. doi: 10.1371/journal.pntd.0009182. PMID: 33735293; PMCID: PMC7971569.
 23. [△]Bhatia S, Bansal D, Patil S, Pandya S, Ilyas QM, Imran S. A Retrospective Study of Climate Change Affecting Dengue: Evidences, Challenges and Future Directions. *Front Public Health*. 2022 May 27;10:884645. doi: 10.3389/fpubh.2022.884645. PMID: 35712272; PMCID: PMC9197220.#
 24. [△]Hales S, de Wet N, Maindonald J, Woodward A. Potential effect of population and climate changes on global distribution of dengue fever: an empirical model. *Lancet*. 2002 Sep 14;360(9336):830-4. doi: 10.1016/S0140-6736(02)09964-6. PMID: 12243917.
 25. [△]Parry L, Radel C, Adamo SB, Clark N, Counterman M, Flores-Yeffal N, Pons D, Romero-Lankao P, Vargo J. The (in) visible health risks of climate change. *Soc Sci Med*. 2019 Nov;241:112448. doi: 10.1016/j.socscimed.2019.112448. Epub 2019 Jul 27. PMID: 31481245; PMCID: PMC8033784.
 26. [△]^a [△]^b [△]^c [△]^d [△]^e [△]^f Morin CW, Comrie AC, Ernst K. Climate and dengue transmission: evidence and implications. *Environ Health Perspect*. 2013 Nov-Dec;121(11-12):1264-72. doi: 10.1289/ehp.1306556. Epub 2013 Sep 20. PMID: 24058050; PMCID: PMC3855512.
 27. [△]Ahmed T, Hyder MZ, Liaqat I, Scholz M. Climatic Conditions: Conventional and Nanotechnology-Based Methods for the Control of Mosquito Vectors Causing Human Health Issues. *Int J Environ Res Public Health*. 2019 Aug 30;16(17):3165. doi: 10.3390/ijerph16173165. PMID: 31480254; PMCID: PMC6747303.
 28. [△]Costanzo K, Occhino D. Effects of Temperature on Blood Feeding and Activity Levels in the Tiger Mosquito, *Aedes albopictus*. *Insects*. 2023 Sep 8;14(9):752. doi: 10.3390/insects14090752. PMID: 37754720; PMCID: PMC10531981.
 29. [△]^a [△]^b [△]^c Reinhold JM, Lazzari CR, Lahondère C. Effects of the Environmental Temperature on *Aedes aegypti* and *Aedes albopictus* Mosquitoes: A Review. *Insects*. 2018 Nov 6;9(4):158. doi: 10.3390/insects9040158. PMID: 30404142; PMCID: PMC6316560.
 30. [△]^a [△]^b Carrington LB, Simmons CP. Human to mosquito transmission of dengue viruses. *Front Immunol*. 2014 Jun 17;5:290. doi: 10.3389/fimmu.2014.00290. PMID: 24987394; PMCID: PMC4060056.
 31. [△]Rückert C, Ebel GD. How Do Virus-Mosquito Interactions Lead to Viral Emergence? *Trends Parasitol*. 2018 Apr;34(4):310-321. doi: 10.1016/j.pt.2017.12.004. Epub 2018 Jan 2. PMID: 29305089; PMCID: PMC5879000.
 32. [△]Beermann S, Dobler G, Faber M, Frank C, Habedank B, Hagedorn P, Kampen H, Kuhn C, Nygren T, Schmidt-Chanasit J, Schmolz E, Stark K, Ulrich RG, Weiss S, Wilking H. Impact of climate change on vector- and rodent-borne infectious diseases. *J Health Monit*. 2023 Jun 1; 8(Suppl 3):33-61. doi: 10.25646/11401. PMID: 37342429; PMCID: PMC10278376.
 33. [△]^a [△]^b Akompab DA, Bi P, Williams S, Grant J, Walker IA, Augoustinos M. Heat waves and climate change: applying the health belief model to identify predictors of risk perception and adaptive behaviours in Adelaide, Australia. *Int J Environ Res Public Health*. 2013 May 29;10(6):2164-84. doi: 10.3390/ijerph10062164. PMID: 23759952; PMCID: PMC3717730.
 34. [△]^a [△]^b Lowe D, Ebi KL, Forsberg B. Heatwave early warning systems and adaptation advice to reduce human health consequences of heatwaves. *Int J Environ Res Public Health*. 2011 Dec;8(12):4623-48. doi: 10.3390/ijerph8124623. Epub 2011 Dec 12. PMID: 22408593; PMCID: PMC3290979.
 35. [△]Parsons K. Maintaining health, comfort and productivity in heat waves. *Glob Health Action*. 2009 Nov 11;2. doi: 10.3402/gha.v2i0.2057. PMID: 20052377; PMCID: PMC2799322.
 36. [△]Getachew D, Tekie H, Gebre-Michael T, Balkew M, Mesfin A. Breeding Sites of *Aedes aegypti*: Potential Dengue Vectors in Dire Dawa, East Ethiopia. *Interdiscip Perspect Infect Dis*. 2015;2015:706276. doi: 10.1155/2015/706276. Epub 2015 Sep 7. PMID: 26435712; PMCID: PMC4576013.
 37. [△]^a [△]^b [△]^c Filho WL, Scheday S, Boencke J, Gogoi A, Maharaj A, Korovou S. Climate Change, Health and Mosquito-Borne Diseases: Trends and Implications to the Pacific Region. *Int J Environ Res Public Health*. 2019 Dec 14;16(24):5114. doi: 10.3390/ijerph16245114. PMID: 31847373; PMCID: PMC6950258.

38. ^a ^bFrentiu FD. Dengue fever: the impact of increasing temperatures and heatwaves. *EBioMedicine*. 2023 Jun; 92:104611. doi: 10.1016/j.ebiom.2023.104611. Epub 2023 May 12. PMID: 37182266; PMCID: PMC10200830.
39. ^ΔDamtew YT, Tong M, Varghese BM, Anikeeva O, Hansen A, Dear K, Zhang Y, Morgan G, Driscoll T, Capon T, Bi P. Effects of high temperatures and heatwaves on dengue fever: a systematic review and meta-analysis. *E BioMedicine*. 2023 May;91:104582. doi: 10.1016/j.ebiom.2023.104582. Epub 2023 Apr 21. PMID: 37088034; PMCID: PMC10149186.
40. ^ΔLiu Z, Zhang Q, Li L, He J, Guo J, Wang Z, Huang Y, Xi Z, Yuan F, Li Y, Li T. The effect of temperature on dengue virus transmission by *Aedes* mosquitoes. *Front Cell Infect Microbiol*. 2023 Sep 21;13:1242173. doi: 10.3389/fcimb.2023.1242173. PMID: 37808907; PMCID: PMC10552155.
41. ^ΔCheng J, Bambrick H, Yakob L, Devine G, Frentiu FD, Toan DTT, Thai PQ, Xu Z, Hu W. Heatwaves and dengue outbreaks in Hanoi, Vietnam: New evidence on early warning. *PLoS Negl Trop Dis*. 2020 Jan 21;14(1):e0007997. doi: 10.1371/journal.pntd.0007997. PMID: 31961869; PMCID: PMC6994101.
42. ^a ^bSutherst RW. Global change and human vulnerability to vector-borne diseases. *Clin Microbiol Rev*. 2004 Jan;17(1):136-73. doi: 10.1128/CMR.17.1.136-173.2004. PMID: 14726459; PMCID: PMC321469.
43. ^ΔGhosh A, Dar L. Dengue vaccines: challenges, development, current status and prospects. *Indian J Med Microbiol*. 2015 Jan-Mar;33(1):3-15. doi: 10.4103/0255-0857.148369. PMID: 25559995.
44. ^a ^bIslam Z, Mohanan P, Bilal W, Hashmi T, Rahmat Z, Abdi I, Riaz MMA, Essar MY. Dengue Virus Cases Surge Amidst COVID-19 in Pakistan: Challenges, Efforts and Recommendations. *Infect Drug Resist*. 2022 Feb 2;15:367-371. doi: 10.2147/IDR.S347571. PMID: 35140482; PMCID: PMC8819273.
45. ^ΔBaharom M, Ahmad N, Hod R, Abdul Manaf MR. Dengue Early Warning System as Outbreak Prediction Tool: A Systematic Review. *Risk Manag Healthc Policy*. 2022 May 3;15:871-886. doi: 10.2147/RMHP.S361106. PMID: 35535237; PMCID: PMC9078425.
46. ^a ^b ^c ^d ^eRather IA, Parray HA, Lone JB, Paek WK, Lim J, Bajpai VK, Park YH. Prevention and Control Strategies to Counter Dengue Virus Infection. *Front Cell Infect Microbiol*. 2017 Jul 25;7:336. doi: 10.3389/fcimb.2017.00336. PMID: 28791258; PMCID: PMC5524668.
47. ^ΔFlores HA, O'Neill SL. Controlling vector-borne diseases by releasing modified mosquitoes. *Nat Rev Microbiol*. 2018 Aug;16(8):508-518. doi: 10.1038/s41579-018-0025-0. PMID: 29777177; PMCID: PMC7612058.
48. ^ΔCharlesworth SM, Kligerman DC, Blackett M, Warwick F. The Potential to Address Disease Vectors in Favelas in Brazil Using Sustainable Drainage Systems: Zika, Drainage and Greywater Management. *Int J Environ Res Public Health*. 2022 Mar 1;19(5):2860. doi: 10.3390/ijerph19052860. PMID: 35270552; PMCID: PMC8910237.
49. ^ΔEbi KL, Vanos J, Baldwin JW, Bell JE, Hondula DM, Erratt NA, Hayes K, Reid CE, Saha S, Spector J, Berry P. Extreme Weather and Climate Change: Population Health and Health System Implications. *Annu Rev Public Health*. 2021 Apr 1;42:293-315. doi: 10.1146/annurev-publhealth-012420-105026. Epub 2021 Jan 6. PMID: 33406378; PMCID: PMC9013542.
50. ^ΔTong S, Confalonieri U, Ebi K, Olsen J. Managing and Mitigating the Health Risks of Climate Change: Calling for Evidence-Informed Policy and Action. *Environ Health Perspect*. 2016 Oct 1;124(10):A176-A179. doi: 10.1289/EHP555. PMID: 27689449; PMCID: PMC5047783.
51. ^ΔChandren JR, Wong LP, AbuBakar S. Practices of Dengue Fever Prevention and the Associated Factors among the Orang Asli in Peninsular Malaysia. *PLoS Negl Trop Dis*. 2015 Aug 12;9(8):e0003954. doi: 10.1371/journal.pntd.0003954. PMID: 26267905; PMCID: PMC4534093.
52. ^ΔWang Y, Zhao S, Wei Y, Li K, Jiang X, Li C, Ren C, Yin S, Ho J, Ran J, Han L, Zee BC, Chong KC. Impact of climate change on dengue fever epidemics in South and Southeast Asian settings: A modelling study. *Infect Dis Model*. 2023 Jun 4;8(3):645-655. doi: 10.1016/j.idm.2023.05.008. PMID: 37440763; PMCID: PMC1033599.
53. ^ΔHess J, Boodram LG, Paz S, Stewart Ibarra AM, Waserhreit JN, Lowe R. Strengthening the global response to climate change and infectious disease threats. *BMJ*. 2020 Oct 26;371:m3081. doi: 10.1136/bmj.m3081. PMID: 33106244; PMCID: PMC7594144.
54. ^ΔBuse K, Tomson G, Kuruvilla S, Mahmood J, Alden A, van der Meulen M, Ottersen OP, Haines A. Tackling the politics of intersectoral action for the health of people and planet. *BMJ*. 2022 Jan 26;376:e068124. doi: 10.1136/bmj-2021-068124. PMID: 37462013; PMCID: PMC8790677.
55. ^a ^bStute M, Clement A, Lohmann G. Global climate models: past, present, and future. *Proc Natl Acad Sci U S A*. 2001 Sep 11;98(19):10529-30. doi: 10.1073/pnas.191366098. PMID: 11553803; PMCID: PMC58498.
56. ^ΔWang GH, Gamez S, Raban RR, Marshall JM, Alphey L, Li M, Rasgon JL, Akbari OS. Combating mosquito-borne diseases using genetic control technologies. *Nat Commun*. 2021 Jul 19;12(1):4388. doi: 10.1038/s41467-021-24654-z. PMID: 34282149; PMCID: PMC8290041.

57. [^]Ant TH, Mancini MV, McNamara CJ, Rainey SM, Sinkins SP. Wolbachia-Virus interactions and arbovirus control through population replacement in mosquitoes. *Pathog Glob Health*. 2023 May;117(3):245-258. doi: 10.1080/20477724.2022.2117939. Epub 2022 Oct 7. PMID: 36205550; PMCID: PMC10081064.
58. ^a, ^bLugten E, Hariharan N. Strengthening Health Systems for Climate Adaptation and Health Security: Key Considerations for Policy and Programming. *Health Secur*. 2022 Sep-Oct;20(5):435-439. doi: 10.1089/hs.2022.0050. Epub 2022 Jul 29. PMID: 35904944; PMCID: PMC9595646.
59. [^]McArthur MA, Sztein MB, Edelman R. Dengue vaccines: recent developments, ongoing challenges and current candidates. *Expert Rev Vaccines*. 2013 Aug;12(8):933-53. doi: 10.1586/14760584.2013.815412. PMID: 23984962; PMCID: PMC3773977.
60. [^]Sim S, Hibberd ML. Genomic approaches for understanding dengue: insights from the virus, vector, and host. *Genome Biol*. 2016 Mar 2;17:38. doi: 10.1186/s13059-016-0907-2. PMID: 26931545; PMCID: PMC4774013.
61. [^]Fox M, Zuidema C, Bauman B, Burke T, Sheehan M. Integrating Public Health into Climate Change Policy and Planning: State of Practice Update. *Int J Environ Res Public Health*. 2019 Sep 4;16(18):3232. doi: 10.3390/ijerph16183232. PMID: 31487789; PMCID: PMC6765852.

Declarations

Funding: No specific funding was received for this work.

Potential competing interests: No potential competing interests to declare.