Review Article

Role of Mango in Immune System

Peer-approved: 8 May 2024

© The Author(s) 2024. This is an Open Access article under the CC BY 4.0 license.

Qeios, Vol. 6 (2024) ISSN: 2632-3834

Prince Sasu¹

1. Department of Animal Science, Faculty of Agriculture, College of Agriculture and Natural Resources, Kwame Nkrumah University of Science and Technology, Ghana

The mango, known throughout the world for its gastronomic and cultural value, occupies an exceptional place in the world of fruits. In addition to its pleasing taste, mango has a nutrient-rich profile, containing essential vitamins, minerals, and bioactive substances. In this chapter, "Role of Mango in Immune System," the fascinating relationship between mango consumption and its potential effects on immune health is explored, paying particular attention to improving immunological function. The detailed nutritional facts about mangoes will help readers better understand how this tropical fruit may support a healthy immune system. The potential for mangoes to greatly boost immune cell activity, as well as their proliferation and functionality, is emphasized through a thorough examination of the scientific literature. The chapter also highlights how eating mangoes increases cytokine synthesis, which is important for immunological control and pathogen defence. Mangoes also contain high levels of vitamins A, C, and E, which improve immune system function by enhancing antioxidant enzymes and reducing oxidative stress. Readers will be motivated to eat more mangoes to reap the benefits of a stronger immune system and live a life full of health and vigour.

Corresponding	author:	Prince	Sasu,
<u>psasu.research@gm</u>	<u>ail.com</u>		

1. Introduction

A robust immune system acts as our body's fortification against a constant barrage of infectious germs, shields the body against disease, and preserves general health. This intricate defence system is made up of a network of cells, tissues, and substances that continuously seek out, thwart, and destroy potentially harmful invaders ^[1]. Understanding how specific foods, like mangoes, might bolster our body's natural defences requires understanding the complex processes involved in the immune response.

The mango (*Mangifera indica Linn*), also referred to as the "king of fruits," is a tropical stone fruit admired for its attractive colours, tender flesh, and robust flavour ^[2] ^[3]. Mangoes are tropical fruits native to Southern Asia that are widely produced throughout the world, with

India alone producing 55% of the global crop ^[4]. Mango is significant in many cultures for reasons other than its gastronomic merits. It is a symbol of fertility, abundance, and even divine attributes in some cultures ^[5]. Mangoes have also been used in traditional medicine because they are thought to have therapeutic characteristics ^{[6][7][8][9]}. The mango is a symbol of the motherland and conjures up sentiments of nostalgia and authenticity in South Asian literature and culture ^[10]. Mangoes can be eaten raw, frozen, dried, or added to beverages and desserts ^[11]. Mangoes come in many different types, each with its unique flavour, texture, and aroma.

Many authors agree that the majority of the carbohydrates in mangoes come from naturally occurring sugars, including glucose, fructose, and sucrose, which also give them their sweet flavour. A study on the fragrance characterization of mangoes found many aroma-active substances that are responsible for the fruit's distinctive flavour [12]. According to $\frac{[13][14]}{13}$, the quantity of sugars like fructose and glucose in a mango fruit affects how sweet it is. The mango flavour is attributed to certain compounds like car-3-ene and cis-ocimene $\frac{[15]}{1}$. The conversion of starch to sugar is an important index of the ripening process in mangoes $\frac{[16]}{1}$. Therefore, the sweetness and flavour of mangoes are indeed influenced by the sugars present in them. In addition to their culinary pleasures and cultural significance, mangoes contain a variety of bioactive compounds, vitamins, and minerals that may have significant health benefits. The specific nutrients that make mangoes a potential ally in boosting the immune system and supporting general well-being will be revealed as we examine their nutritional profile in this chapter. The dietary composition of mangoes and their potential effects on immune system function will be thoroughly examined in the pages that follow. Mangoes have special properties that we can take advantage of to improve our health and vigour.

2. Nutritional Profile of Mango

The dietary composition of ripe and unripe mangoes is shown in Table 1. Mango is a delicious fruit that is also packed with nutrients. It contains a wealth of minerals like potassium and magnesium, as well as vitamins (vitamin C, vitamin A), and folate $\frac{[17][18]}{1}$.

2.1. Vitamin C

Ascorbic acid, also known as vitamin C, is an essential water-soluble antioxidant that supports various bodily processes [19]. It acts as an antioxidant, promotes the immune system, and prevents oxidative stress on cells. Additionally, vitamin C is crucial for collagen production, iron absorption, and maintaining good skin ^[20]. The vitamin C content in mangoes can vary depending on the age or ripeness of the fruit. Ripe mangoes generally contain higher levels of vitamin C compared to unripe mangoes, with ripe mangoes containing approximately 16 milligrams of vitamin C per 100 grams, while unripe mangoes contain about 3 milligrams [17][18][21]. The enzymatic activity and respiration processes during ripening lead to an increase in the breakdown of vitamin C ^[21]. It is important to note that the specific vitamin C levels in mangoes can be influenced by various factors, such as variety, growing conditions, and post-harvest handling [19]. Therefore, selecting ripe mangoes can provide a higher intake of vitamin C, contributing to overall dietary needs and potential health benefits associated with this essential nutrient $\frac{[21]}{}$.

2.2. Carotene, a precursor to Vitamin A

The total carotene in ripe mangoes amounts to 2,210 micrograms per 100 grams $\frac{[17][18]}{1}$. The sum of all the carotenoids found in mangoes is represented as total carotene. Plant pigments called carotenoids have antioxidant capabilities and help produce the bright colours of fruits and vegetables. One hundred grams of ripe mangos have 1,990 micrograms of betacarotene [17][18]. As a precursor to vitamin A, betacarotene functions as an antioxidant in the body, assisting in the removal of damaging free radicals and promoting several health-related functions. The notion that ripe mangoes contain beta-carotene is supported by several authors. ^[22] conducted a study on the carotenoid composition of mangoes and reported the levels of β -carotene and total carotene in different mango varieties. ^[23] also studied the effects of ripening and other factors on the carotenoid composition of mangoes. [24] identified β -carotene and other carotenoids in the mesocarp of Pouteria lucuma, a relative of mango. $\frac{[25]}{2}$ assessed the accumulation of β carotene during postharvest ripening of Thai mango cultivars and analyzed the stereoisomers of βcarotene. [26] examined the impact of mango ripeness on the in vitro bioaccessibility of β -carotene. Therefore, these studies provide evidence for the levels of total carotene and β -carotene in ripe mangoes. Vitamin A, primarily in the form of carotenoids like beta-carotene, is also present in significant amounts in mangoes. The findings of [17][18] show that immature mangoes have much less total carotene (90 micrograms) and betacarotene (1.990 micrograms) than ripe mangoes (2,210 micrograms and 1,990 micrograms, respectively). Retinol, which is necessary for immune response. cellular differentiation, and eyesight, is produced by the body from the provitamin A molecule beta-carotene. Since ripe mangoes have more carotenes than unripe ones, how much of these pigments are produced by the fruit probably depends on its maturity stage. Numerous authors have backed up the idea that mangoes contain a sizable amount of vitamin A in the form of carotenoids like beta-carotene. Mangoes' carotenoid composition was examined by ^[23] concerning ripening, cultivar variations, and processing. Beta-carotene was one of primary the and secondary metabolites that ^[24] identified in the mesocarp of the Pouteria lucuma mango variety. The effect of mango betacarotene's bioaccessibility on the stage of ripening was investigated by ^[26]. In addition, ^[27] investigated the extraction of bioactive substances from mango peels and documented their nutritional characteristics. Therefore, these studies provide evidence for the presence of carotenoids, specifically beta-carotene, in mangoes, which serve as a precursor to vitamin A.

2.3. Fat

Mangoes are a healthy substitute for people wanting to follow a low-fat diet or cut back on their intake of dietary fat because of their low-fat level. Ripe mangoes contain 0.4 grams of fat per 100 grams, compared to 0.1 grams in unripe mangoes [17][18]. Mango pulp, according to studies [28][29][30], contains a negligible amount of fat-less than 1%. Similarly, the fat content varies depending on the mango variety [31]. Moreover, mango kernels, which are found within the seed of the mango fruit, contain fat ranging from 6% to 15.2% [32] [33]. The fat content in mango kernels contributes to its overall composition, which includes carbohydrates, proteins, fibre, and ash $\frac{[32][33]}{2}$. It is worth noting that the fat content in mango pulp and kernels can vary depending on factors such as variety, ripeness, and processing methods [34]. Despite its low-fat content, mango pulp is a rich source of other nutrients, including vitamins, minerals, and dietary fibre [35]. Incorporating mango pulp into the diet provides nutritional benefits while maintaining a low fat intake [36]. Some studies even suggest that consuming mango fruit or its components may have protective effects against metabolic alterations induced by highfat diets [37]. Therefore, consuming mango pulp can be a healthy addition to a balanced diet for those looking to limit their fat intake while enjoying the flavour and nutritional benefits of this tropical fruit.

2.4. Carbohydrates

Carbohydrates, the body's main source of energy, are present in mangoes. Unripe mangoes have 10.1 grams of carbs per 100 grams, but ripe mangoes have 16.9 grams ^{[17][18]}. Mangoes' naturally occurring sugars, such as glucose, fructose, and sucrose, make up the majority of their carbohydrate content and are what give them their sweet flavour.

2.5. Iron, Sodium, Calcium, Phosphorus, and Potassium

Mangoes also help with mineral intake, as seen by their high potassium, calcium, and phosphorus levels. The mango's high concentration of these minerals contributes to its possible health advantages. Maintaining fluid equilibrium, neuron function, and muscle contractions all depend on potassium, an essential mineral and electrolyte. Ripe mangoes have 205 milligrams of potassium per 100 grams, while immature mangoes have 83 milligrams [17][18]. Ripe mangoes have 14 milligrams of calcium and 16 milligrams of phosphorus, but unripe mangoes contain 10 milligrams of calcium and 19 milligrams of phosphorus, both of which are essential for bone health [17][18]. Mangoes may not be the main source of these minerals, but they nevertheless have a significant impact on dietary consumption overall, especially when included in a diverse diet. In comparison to immature mangoes, which have 43 milligrams of sodium per 100 grams, ripe mangoes have 26 milligrams. Sodium is a crucial mineral that is involved in neuron function, fluid homeostasis, and muscle contractions. Mangoes are a better option for people watching their salt intake since, despite having some sodium, they have comparatively low levels compared to processed meals [17][18]. Unripe mangoes only offer 0.33 milligrams of iron per 100 grams, compared to 1.3 milligrams in ripe mangoes. The immune system, the creation of energy, and the transportation of oxygen all depend on iron. For the maintenance of general health and the prevention of iron-deficiency anaemia, the intake of mango could help remedy the anaemic situation.

2.6. Fibre

Mango also contains a lot of dietary fibre, which promotes a healthy gut and helps with digestion. Mangoes provide a significant quantity of dietary fibre, with ripe mangoes containing 0.7 grams per 100 grams and unripe mangoes containing 1.2 grams ^{[17][18]}. Dietary fibre, a complex carbohydrate, comes in both soluble and insoluble forms. Blood sugar levels are controlled by fibre, and fibre aids in weight loss. It helps to maintain regular bowel movements, avoid constipation, and promote healthy gut microbiota. Because some fibre may disintegrate or change into other forms as fruits mature, unripe mangoes have a higher fibre concentration.

2.7. Energy

Mangoes also have a comparatively low calorie and fat content. In comparison to immature mangoes, which provide 44 calories and 0.1 grams of fat per 100 grams, ripe mangoes offer 74 calories and 0.4 grams of fat ^[17] ^[18]. These qualities add to the attraction of mangoes as a healthful fruit that may be included in a balanced diet, especially for people who are cautious of their calorie and fat intake. It is crucial to keep in mind that the nutritional makeup of mangoes might change depending on the variety, growth circumstances, and post-harvest management. The particular numbers listed in Table 1 serve as a guide for comprehending the

overall nutrient profile of mangoes and indicate an average nutritional composition. Even though the results show the nutritional advantages of mangoes, it is important to remember that these values can change slightly based on the geographical area, fruit freshness, and farming methods. Mangoes' nutritional makeup can also be affected by post-harvest processing techniques, including handling and storage conditions. Mangoes have several health advantages, but it's vital to keep in mind that they should only be consumed as a part of a balanced diet that also includes a variety of fruits, vegetables, whole grains, lean proteins, and healthy fats. Including mangoes in a balanced diet helps improve overall health.

Nutrients	Ripe mango	Unripe mango
Protein (g)	0.6	0.7
Fat (g)	0.4	0.1
Minerals (g)	0.4	0.4
Fibre (g)	0.7	1.2
Carbohydrates (g)	16.9	10.1
Energy (kcal)	74	44
Vitamin C (mg)	16	3
Total carotene (mcg)	2,210	90
Beta carotene (mcg)	1,990	-
Potassium (mg)	205	83
Sodium (mg)	26	43
Calcium (mg)	14	10
Iron (mg)	1.3	0.33
Phosphorus	16	19

Table 1. Analytical nutritional composition of mango per 100g

(Source: [17] cite in [18])

3. Basics of Immune Health

The immune system is an intricate network of tissues, cells, and chemicals that protects the body from infections and promotes general health [1]. The lymphatic system, white blood cells (such as lymphocytes and phagocytes), antibodies, lymphoid organs (such as the thymus and spleen), and other bodily systems make up the immune system. These elements work in close coordination to elicit immunological responses and maintain immune surveillance throughout the body. An individual's general health and well-being are directly impacted by the immune system's capacity to prevent and treat infections, allergies, and chronic disorders. A healthy immune system contributes to long-term disease prevention, quicker healing, and protection against illness. Thus, enhancing immune function is essential for fostering a healthy and durable physique.

The prevention of chronic diseases and the maintenance of good health both greatly benefit from a robust immune system ^[38]. In addition to supporting

general health and vigour, the immune system is essential for tissue regeneration and repair $\frac{[1]}{}$. According to psychological research, having a strong immune system improves mental and emotional wellbeing by lowering levels of stress and anxiety [38]. The amazing immune systems in the human body protect us from illnesses. Our immune system uses three different types of defence mechanisms-innate immunity, adaptive immunity, and passive immunityto protect our bodies from pathogens. These defence mechanisms all work in different ways to keep us safe from dangerous outsiders. Our bodies' innate immunity serves as a quick reaction system and initial line of defence $\frac{[39][40]}{1}$. According to $\frac{[41]}{1}$, it is present from birth and offers instant defence against a variety of infections. Innate immunity includes both chemical and physical barriers, such as antimicrobial proteins and enzymes, as well as physical barriers like the skin and mucous membranes [42]. These defences provide constant protection against a variety of infections [43] [44]. Following innate immunity, adaptive immunity is activated. It is a highly specialized defence mechanism that evolves with time. Adaptive immunity involves the activation of particular immune cells, such as T and B

lymphocytes, which create antibodies tailored against particular diseases ^[39]. Although it takes longer, this procedure offers long-term protection and memory against previously met infections. As the name implies, passive immunity refers to the brief transmission of already-formed antibodies from one person to another. This transfer can happen spontaneously, such as when a woman breastfeeds her baby, or artificially, such as when immunological serum or antibodies are given to a patient [1][45]. Passive immunity offers immediate, albeit transitory, defence against some infections. To talk about the unique reaction to eating mangoes, mangoes include a variety of minerals and phytochemicals that are beneficial to health, but their effect on immunity has garnered particular attention. Evidence gathered via scientific investigations and research suggests that some mangoes' nutrients, including vitamins, minerals, and bioactive substances, may have immunomodulatory effects that could help innate immunity operate and be strengthened. The following sections will discuss the special ways that mangoes assist our immune system. Get ready to find out the truth about the connection between mangoes and the body's first line of defence, which is advantageous.

Mango and Immune System Interaction

Research suggests that mango may include several bioactive compounds that support immune system health. Antioxidants and anti-inflammatory agents are among the chemicals that can support the immune system's defenses and combat oxidative stress, both of which are advantageous to immunological health. Scientific studies on how eating mangoes affects immune function have shown hopeful findings. Numerous studies have been conducted on the bioactive components of mangos and their potential health benefits [46][47][48][49][50][51]. Recent studies have shown the fruit's additional health benefits, including crucial components that assist in healthy weight management, disease prevention, and even some antiageing properties [52]. Mango is rich in polyphenols like mangiferin, which have been shown to have therapeutic and nutraceutical significance in the treatment of degenerative diseases like cancer and heart disease [53].

A healthy heart is supported by the nutrients that mango contains. For example, it is said to include magnesium and potassium, which support lower blood pressure by assisting blood vessels in relaxing ^[52]. Mangoes are also a high source of fibre and antioxidants, such as vitamin C, thus they may help

combat chronic and inflammatory disorders [54] and support a healthy immune system. Pulp, peel, and kernel make up the fruit's three main components. The peel and kernel are typically discarded, whereas the pulp is the component that is consumed the most. The kernel of the mango has higher antioxidant and polyphenolic levels than the pulp and peel, whereas mango pulp is a source of a range of reducing sugars, amino acids, aromatic compounds, and functional compounds, such as pectin, vitamins, anthocyanins, and polyphenols [11]. Peels and kernels from mango processing are biowaste; however, they also have nutritional value but are not fully covered in this chapter. Protocatechuic acids, mangiferin, and betacarotene are examples of functional chemicals found in the peel that have been shown to have antibacterial, anti-diabetic, anti-inflammatory, and anti-carcinogenic characteristics [11]. Mango pulps are a good source of antioxidants, particularly vitamin C, and fibre, which help to maintain a healthy immune system and may help combat inflammatory and chronic diseases [52][55]. Additionally, they are a beneficial component of a diet rich in healthy foods and include elements that support the health of the skin and eyes ^[52]. Mangoes and the bioactive compounds they contain may provide several health advantages, including anti-inflammatory properties, improvements in mitochondrial bioenergetics, and improved exercise capacity. These include lowering the risk of developing cancer, improving skin quality, lowering the risk of developing heart disease, enhancing sexual function, promoting brain health, slowing the ageing process, alkalizing the body, enhancing eye health, maintaining heart health, boosting bone health, and promoting digestive system support ^[56]. Mango pulps are also rich in polyphenols, such as mangiferin, which have been shown to have nutraceutical and pharmaceutical significance in combating degenerative diseases like heart diseases and cancer. Mangiferin is a special polyphenol in the mango that has been extensively demonstrated and continues to attract much attention, especially in its potential to combat degenerative diseases like heart disease and cancer [57][58][59][60]

In inflammatory cells, mango polyphenols have been shown to reduce the release of pro-inflammatory cytokines while increasing the secretion of antiinflammatory cytokines ^{[61][62]}. Additionally, it has been shown that mango's anti-inflammatory action reduces or eliminates inflammation as well as other symptoms linked to leaky intestines, colon cancer, and constipation by inhibiting the production of proinflammatory cytokines. This anti-inflammatory impact has been linked to the signalling axis miR-126/PI3K/AKT/mTOR ^[63]. Antioxidants found in mangoes can boost immunity and the body's ability to provide anti-inflammatory effects ^[64]. Mangiferin, a polyphenolic molecule abundant in mangoes with antioxidant and anti-inflammatory properties, can, however, cause unpleasant muscle cramps if mango is consumed in excess ^[64].

4. Recipes and Mango-Based Processed Foods for Immune Health

This section on dishes using mango and products made from processed mango is a real treasure trove of culinary ideas, providing a great variety of recipes that highlight the incredible adaptability of mango. Readers will learn numerous methods for processing mango into a variety of mango products that may be incorporated into their daily meals, from energizing ripe mango products to unripe products. These dishes are tantalizing to the taste senses and supportive of overall immune health because they not only highlight the inherent sweetness and vivid flavour of mango but also harness the power of other immune-boosting ingredients. Mangoes are a great source of vitamin C, which is crucial for boosting immunity and preventing disease, as was already discussed. Non-fibrous fleshy kinds are primarily employed for processing these recipes and give a potent immune-boosting punch, while succulent juicy types are used for dessert applications [18]. Table 2 provides a summary of how these recipes can be prepared.

Ripe mango Product	Description	Source	
Mango pulp	By adding sugar syrup and citric acid, mango pulp is typically standardized to 14-180B and 5- 6.5% acidity as citric acid, and it is then kept during the peak season of the mango crop for late usage in a variety of goods.		
Mango beverages	o prepare mango beverages, start by blending ripe mangoes with water for mango juice or eeping the pulpy consistency for mango nectar. For mango squash, combine mango juice, agar, and water, then dilute before serving. Mango wine requires fermentation. Milk-based ions like mango lassi can be made with mango, yoghurt, and milk, while carbonated mango everages involve combining mango juice with sparkling water. Customize these recipes to enjoy a variety of refreshing mango beverages at home.		
Dry mango products	In the ice cream, bread, and confectionery sectors, dried mango powder is a useful auxiliary ingredient. After concentration, mango pulp or juice is combined with powdered sugar and dried.	[<u>2][80][81</u> [82][83][8	
Mango leather	Indian cuisine traditionally uses large amounts of pulp from the sour and seedling types that have been extensively sun-dried to add flavour.		
Mango jam	Pulp from dehydrated mango slices is heated with an equal quantity of sugar to 65-68oB and citric acid is added at the end to get 0.6-0.7% acidity in the final product score for colour and flavour		
Mango toffee	According to the following recipe, mango pulp can be used to make mango toffee together with other ingredients: mango pulp: 53 kg, sugar: 30 kg, glucose: 4 kg, skim milk powder: 8 kg, hydrogenated fat: 5 kg, with appropriate essence and colour in the required amounts.		
Mango yoghurt	Mango yoghurt can be prepared with mango poser and boiled cooled milk in the presence of starter culture (curd)		
Mango custard powder	Mango powder, sugar, skim milk powder, corn starch, lime juice, cream, salt, and water can be combined to make a nutrient-dense food for the kids.		
Mango ice- cream	Mango powder can be added to sweetened, boiled, and cooled milk to make mango shakes.		
Mango shake	Mango powder can be added to sweetened, boiled, and cooled milk to make mango shakes.		
Mango Lassi	Mango lassi can be prepared with mango powder curd and other ingredients	[97]	
Mango cereal flakes, vermicelli, and powder	Vermicelli and powder made from mango cereal can be made by mixing cooked wheat flour into a dough that is appropriate for extrusion through a vermicelli press or by drying the		
Strained baby food	A 60-mesh sieve is used to filter the fibre out of mango pulp. This pulp is blended by adding sugar to it; after homogenizing the mixture, it is then canned	<u>[98]</u>	
Mango tablet	Ripe and unripe mangoes are used to make the mango tablet. Mango pulps are freeze-dried to create mango powder and then moulded to a desired shape		
Unripe mango products			
Mango pickle	They are produced with fruit that has either been peeled or left unpeeled, with or without stones, and with varying ratios of spices.	[<u>2][66][92</u> [94][100]	

Ripe mango Product	Description	
		[101][102]
Mango chutney	Unripe or semi-ripe mangoes are peeled, sliced, or shredded and cooked to a thick consistency with spices, salt, onion, garlic, sugar/jaggery, vinegar, or acetic acid to make mango chutney.	<u>[66][91][103]</u>
Green mango powder	After being milled into powder and sun-dried (16 hours in the sun at 35-40°C for thorough drying of the slices), green mango slices can be created.	[6][103][104] [105][106] [107][108] [109]
Green mango beverage	Many processing methods have been devised for beverages made from green mangoes.	[90][110][111] [112][113] [114][115]

Table 2. Diversity of processed mango products and their preparation methods

Source: Modified from [18]

5. Conclusion

This extensive examination of mangoes has revealed their exceptional potential as an important booster of immune function. Mangoes are an excellent source of vitamins, minerals, and antioxidants that help to support the immune system and lower oxidative stress. Mangoes are special in that they contain considerable amounts of vitamins A, C, and E, which are essential for the synthesis of white blood cells and antibodies, both of which are necessary for a healthy immune system. In addition, mangoes contain antioxidants that not only help to lower inflammation but also protect the body from potential threats by scavenging dangerous free radicals. Mangoes also contain beneficial substances including carotenoids and polyphenols, which have outstanding anti-inflammatory and immunomodulatory capabilities. These substances affect how immune cells operate and support the development of a balanced immunological response. Mangoes' fibre content is also essential for promoting a healthy gut microbiome, which is essential for maintaining normal immunological function. Mangoes can unquestionably improve immune function when included in a balanced, healthy lifestyle. By embracing the delightful flavour and potential immune-boosting properties of mangoes, individuals can take a proactive step towards a holistic approach to well-being and fortified immune health. Although the evidence presented here suggests that mangoes may be good for your immune system, one should still get specific advice from qualified dietitians or medical experts. They can offer tailored advice depending on client requirements and medical situations, resulting in the greatest outcomes.

Statements and Declarations

Acknowledgements

I would like to express my sincere gratitude to Ms. Esther Opara for her unflagging support, fervent prayers, and inspiring words as I was drafting this book chapter. Her presence and contagious enthusiasm were invaluable and much valued. Thank you for your unwavering support, Ms. Opara.

Conflict of Interest

Regarding the information contained in this book chapter, the author acknowledges no conflicts of interest. There are no financial or personal conflicts of interest that would skew the information's objectivity or integrity.

Notes/Thanks/Other declarations

I would like to express my deepest gratitude to Prof. Victoria Attoh-Kotoku and Prof. Jacob Alhassa Hamidu for their invaluable mentorship and guidance throughout my academic journey. Their knowledge, commitment, and spiritual leadership have helped to mould me into a tenacious and strong scholar. They have never wavered in their confidence in my skills, and I sincerely appreciate their support. They have made incalculable contributions, and I feel privileged to have had the opportunity to learn from them. Their guidance has been instrumental in shaping me into a resilient and formidable scholar. I am truly grateful for their unwavering belief in my abilities and their continuous encouragement. Their contributions have been immeasurable, and I am honoured to have had the privilege of learning from them.

References

- a. b. c. dIslam, M. A., Haque, M. A., Rahman, M. A., Hoss en, F., Reza, M., Barua, A.,... & Jakariya, M. (2022). A rev iew on measures to rejuvenate immune system: Natur al mode of protection against coronavirus infection. Fr ontiers in Immunology, 13, 1013.
- 2. ^{a, b, c, d}Bhatnagar HC and Subramanyam H (1973). So me aspects of preservation, processing, and export of mango and its products. Indian Food Packer, 27(4): 33– 52.
- 3. [△]Lebaka, V. R., Wee, Y. J., Ye, W., & Korivi, M. (2021). Nut ritional composition and bioactive compounds in thre e different parts of mango fruit. International Journal of Environmental Research and Public Health, 18(2), 7 41. Available at https://doi.org/10.3390/ijerph18020741 and retrieved on 07/06/2023.
- 4. [△]Lauricella, M., Emanuele, S., Calvaruso, G., Giuliano, M., & D'Anneo, A. (2017). Multifaceted health benefits of Mangifera indica L. (Mango): The inestimable value of orchards recently planted in Sicilian rural areas. Nu trients, 9(5), 525.
- 5. ^ASadhu MK and Bose TK (1976). Studies on mango cul tivars part I: Morphological and physicochemical stud ies of some promising mango cultivars of the district Murshidabad, West Bengal. Indian Food Packer, 30(5): 24-32
- ^{a, b}Gangopadhyay H, Chaudhari DR and Mukherjee S (1976). Dehydration of green mango pulp in double dr um drier. Indian Food Packer, 30(5): 51-54.
- ^ADhar AK, Dass H, Biswas KS, Mitra M and Roy BR (19 76). Analytical parameter of ripe mango. Indian Food Packer, 30(5): 68-69.
- Ameshwar A, Kulkarni V, Ahmed MA, Sultan MA an d Shri Ramula A (1979). Physico-chemical analysis an d keeping quality of mango cultivars at Sangaredy, Pa per present at mango workers meeting at Panaji, Goa 2-5th May 1979.
- 9. [△]Kalra SK, Singh H and Chadha KL (1981). Evaluation of some mango cultivars on the basis of their biochem ical composition. Indian Journal of Horticulture. 38(1 a nd 2): 70-73.

- 10. [△]Urvi K., (2021). On the Complexity of Using the Mang o as a Symbol in Diasporic Literature. Available at htt ps://lithub.com/on-the-complexity-of-using-the-man go-as-a-symbol-in-diasporic-literature/ and accessed on 10/06/2023.
- ^{a, b, c}Lebaka, V. R., Wee, Y. J., Ye, W., & Korivi, M. (2021). Nutritional composition and bioactive compounds in t hree different parts of mango fruit. International Jour nal of Environmental Research and Public Health, 18 (2), 741. Available at https://doi.org/10.3390/ijerph1802 0741 and retrieved on 07/06/2023.
- [△]Liu, H., An, K., Su, S., Yu, Y., Wu, J., Xiao, G., & Xu, Y. (20 20). Aromatic characterization of mangoes (Mangifer a indica L.) usi Thi My Duy, N., Phuong Nhi, H., Huy, T., Pha, N., Khang, D. (2023). Correlation Between Molecu lar Markers and Sweetness And Peel Thickness Of Ma ngo (Mangifera Indica L.). Asian J. of Plant Sciences, 2 (22), 302-308. https://doi.org/10.3923/ajps.2023.302.30 8
- 13. [△]Thi My Duy, N., Phuong Nhi, H., Huy, T., Pha, N., Khan g, D. (2023). Correlation Between Molecular Markers a nd Sweetness And Peel Thickness Of Mango (Mangifer a Indica L.). Asian J. of Plant Sciences, 2(22), 302-308. h ttps://doi.org/10.3923/ajps.2023.302.308
- 14. [△]Malundo, T., Shewfelt, R. L., Ware, G. O., Baldwin, E. A. (2001). Sugars and Acids Influence Flavour Properties Of Mango (Mangifera Indica). jashs, 1(126), 115-121. htt ps://doi.org/10.21273/jashs.126.1.115.
- 15. [△]Scutigliani, E. M., & Kikkert, M. (2017). Interaction of t he innate immune system with positive-strand RNA vi rus replication organelles. Cytokine & growth factor re views, 37, 17-27.
- 16. ^AWarrington, R., Watson, W., Kim, H. L., & Antonetti, F. R. (2011). An introduction to immunology and immun opathology. Allergy, Asthma & Clinical Immunology, 7 (1), 1-8.
- 17. <u>a</u>, <u>b</u>, <u>c</u>, <u>d</u>, <u>e</u>, <u>f</u>, <u>g</u>, <u>h</u>, <u>i</u>, <u>j</u>, <u>k</u>, <u>l</u>, <u>m</u>, <u>n</u>Nigam S, Bhatt DK and Jha A (2007). Different product of mango: the king of fruit s. Processed Food Industry, 10 (9): 32-40.
- 18. <u>a</u>, <u>b</u>, <u>c</u>, <u>d</u>, <u>e</u>, <u>f</u>, <u>g</u>, <u>h</u>, <u>i</u>, <u>j</u>, <u>k</u>, <u>l</u>, <u>m</u>, <u>n</u>, <u>o</u>, <u>p</u>, <u>9</u>Ravani, A., & Joshi, D. (2013). Mango and its by-product utilization—a review in trends in post-harvest technology. Vol 1 (1): 55–67. A vailable at www.jakraya.com/journal/tpht and access ed on 10/06/2023.
- 19. ^{a, b}Rattanapun, W., Amornsak, W., Clarke, A. R. (2009). bactrocera Dorsalispreference For and Performance O n Two Mango Varieties At Three Stages Of Ripeness. E ntomologia Experimentalis Et Applicata, 3(131), 243-25 3. https://doi.org/10.1111/j.1570-7458.2009.00850.x
- 20. [^]Appiah, F., Kumah, P., Idun, I. (2011). Effect Of Ripenin g Stage On Composition, Sensory Qualities and Accept

ability Of Keitt Mango («i>mangifera Indica L.) Chip s. African Journal of Food, Agriculture, Nutrition and D evelopment, 5(11). https://doi.org/10.4314/ajfand.v11i5.7 0439

- 21. ^{a, b, c}Avinashe, H., Ghosh, S., Dubey, N. (2023). Nutritio nal and Phytochemical Changes During Ripening In Mango: A Review. CNF, 5(19), 519-528. https://doi.org/1 0.2174/1573401319666221014141807
- 22. ^ΔManthey, J. A., Perkins-Veazie, P. (2009). Influences O f Harvest Date and Location On The Levels Of β-Carot ene, Ascorbic Acid, Total Phenols, The In Vitro Antioxid ant Capacity, And Phenolic Profiles Of Five Commerci al Varieties Of Mango (mangifera Indica L.). J. Agric. Fo od Chem., 22(57), 10825-10830. https://doi.org/10.1021/ jf902606h.
- 23. ^{a, b}Mercadante, A. Z., Rodriguez-Amaya, D. B. (1998). E ffects Of Ripening, Cultivar Differences, and Processin g On The Carotenoid Composition Of Mango. J. Agric. Food Chem., 1(46), 128-130. https://doi.org/10.1021/jf97 02860.
- 24. ^{a, b}Fuentealba, C., Gálvez, L., Cobos, A., Olaeta, J. A., Def ilippi, B. G., Chirinos, R., ... & Pedreschi, R. (2016). Chara cterization Of Main Primary and Secondary Metabolit es And In Vitro Antioxidant And Antihyperglycemic Pr operties In The Mesocarp Of Three Biotypes Of Pouteri a Lucuma. Food Chemistry, (190), 403-411. https://doi.o rg/10.1016/j.foodchem.2015.05.111
- 25. ^ΔVásquez-Caicedo, A. L., Sruamsiri, P., Carle, R., Neidha rt, S. (2005). Accumulation Of All-trans-β-carotene an d Its 9-cis And 13-cis Stereoisomers During Postharves t Ripening Of Nine Thai Mango Cultivars. J. Agric. Foo d Chem., 12(53), 4827-4835. https://doi.org/10.1021/jf04 8168h.
- 26. ^{a, b}Ornelas-Paz, J. D. J., Failla, M. L., Yahia, E. M., Garde a-Béjar, A. A. (2008). Impact Of the Stage Of Ripening And Dietary Fat On in Vitro Bioaccessibility Of β-Carot ene In 'Ataulfo' Mango. J. Agric. Food Chem., 4(56), 1511 -1516. https://doi.org/10.1021/jf072751r
- 27. [△]Tunchaiyaphum, S., Eshtiaghi, M. N., Yoswathana, N. (2013). Extraction Of Bioactive Compounds From Man go Peels Using Green Technology. IJCEA, 194–198. http s://doi.org/10.7763/ijcea.2013.v4.293
- ^ALakshminarayana, G., Rao, T. C., Ramalingaswamy, P. A. (1983). Varietal Variations In Content, Characterist ics and Composition Of Mango Seeds And Fat. J Am Oi l Chem Soc, 1(60), 88-89. https://doi.org/10.1007/bf025 40898.
- 29. [△]Idimogu, H. C., Okeke, J., Chukwumalu, R. E. (2021). In vestigation Of the Effect Of Process Parameters And Ki netics On Sulphuric Acid-sodium Hydroxide Catalyzed

Transesterification Of Mango Seed Oil. IJRIAS, 05(06), 147-153. https://doi.org/10.51584/ijrias.2021.6511.

- 30. [△]Hemavathy, J., Prabhakar, J. V., Sen, D. P. (1987). Comp osition Of Polar Lipids Ofalphonsomango (Mangifera I ndica) Kernel. Journal of Food Science, 3(52), 833-834. https://doi.org/10.1111/j.1365-2621.1987.tb06742.x
- 31. [△]Rashid, M., Khatun, H., Rayhan, M., Plabon, M. A. K., Hossain, M. S., Mozid, M., ... & Islam, M. S. (2019). Com parative Study On Physicochemical Properties Of Sele cted Mango (Mangifera Indica L.) Varieties In Norther n Bangladesh. Cercetari Agronomice in Moldova, 1(5 2), 54–65. https://doi.org/10.2478/cerce-2019-0006
- ^{a, b}Mwaurah, P. W., Kumar, S., Panghal, A., Attkan, A. K., Singh, V. P., Garg, M. (2020). Physicochemical Chara cteristics, Bioactive Compounds and Industrial Applic ations Of Mango Kernel And Its Products: A Review. C omprehensive Reviews in Food Science and Food Safet y, 5(19), 2421-2446. https://doi.org/10.1111/1541-4337.125 98.
- 33. ^{a, b}Sagar, A., Singh, R. P. (2016). Biochemical Estimatio n Of Nutritive Parameters In Waste Seed Kernel Of Ma ngo (Mangifera Indica L.). IJAI, 01(1), 113-115. https://do i.org/10.46492/ijai/2016.1.1.20.
- 34. ^ACelis, M. E. M., Yahia, E. M., Bedoya, R., Landázuri, P., Loango, N., Aguillón, J., ... & Ospina, J. (2019). Chemical Composition Of Mango (Mangifera Indica L.) Fruit: Nu tritional and Phytochemical Compounds. Front. Plant Sci., (10). https://doi.org/10.3389/fpls.2019.01073.
- 35. [△]Ali, B., Alfa, A. A., Tijani, K. B., Idris, E. T., Unoyiza, U. S., Junaidu, Y. (2020). Nutritional Health Benefits and Bioactive Compounds Of Mangifera Indica L (Mango) Leaves Methanolic Extracts. APRJ, 41–51. https://doi.or g/10.9734/aprj/2020/v6i230126.
- 36. [△]Meshram, B. D. (2015). Butter-milk Based Fruit Juice Beverages. AJDFR, 4(34). https://doi.org/10.18805/ajdfr. v34i4.6882.
- 37. [△]Sabater, A. G., Ribot, J., Priego, T., Vazquez, I., Frank, S., Palou, A., ... & Buchwald-Werner, S. (2017). Consumptio n Of a Mango Fruit Powder Protects Mice From High-f at Induced Insulin Resistance And Hepatic Fat Accumu lation. Cell Physiol Biochem, 2(42), 564–578. https://do i.org/10.1159/000477606.
- 38. ^{a, b}Sompayrac, L. M. (2022). How the immune system works. John Wiley & Sons.
- 39. ^{a, b}Mohamad, S. (2016). Disease mechanism in two no vel primary immunodeficiencies characterized by incr eased viral susceptibility and immune dysregulation (Doctoral dissertation, Newcastle University).
- 40. [△]Govers, C., Calder, P. C., Savelkoul, H. F., Albers, R., & v an Neerven, R. J. (2022). Ingestion, immunity, and infe

ction: nutrition and viral respiratory tract infections. F rontiers in Immunology, 13, 632.

- 41. [△]Iwabuchi, K. (2018). Gangliosides in the immune syst em: Role of glycosphingolipids and glycosphingolipidenriched lipid rafts in immunological functions. Gangl iosides: Methods and Protocols, 83–95.
- 42. [△]Nasr, I. W., Chun, Y., & Kannan, S. (2019). Neuroimmu ne responses in the developing brain following trauma tic brain injury. Experimental neurology, 320, 112957.
- 43. [△]Nguyen, M. T., Hanzelmann, D., Härtner, T., Peschel, A., & Götz, F. (2016). Skin-specific unsaturated fatty aci ds boost the Staphylococcus aureus innate immune re sponse. Infection and Immunity, 84(1), 205-215.
- 44. [△]Scutigliani, E. M., & Kikkert, M. (2017). Interaction of t he innate immune system with positive-strand RNA vi rus replication organelles. Cytokine & growth factor re views, 37, 17-27.
- 45. [△]Warrington, R., Watson, W., Kim, H. L., & Antonetti, F. R. (2011). An introduction to immunology and immun opathology. Allergy, Asthma & Clinical Immunology, 7 (1), 1–8.
- 46. [△]Wall-Medrano, A., Olivas-Aguirre, F. J., Ayala-Zavala, J. F., Domínguez-Avila, J. A., Gonzalez-Aguilar, G. A., He rrera-Cazares, L. A., & Gaytan-Martinez, M. (2020). He alth benefits of mango by-products. Food wastes and by-products: Nutraceutical and health potential, 159–1 91.
- 47. [△]Kim, H., Castellon-Chicas, M. J., Arbizu, S., Talcott, S. T., Drury, N. L., Smith, S., & Mertens-Talcott, S. U. (202 1). Mango (Mangifera indica L.) polyphenols: Anti-infl ammatory intestinal microbial health benefits, and as sociated mechanisms of actions. Molecules, 26(9), 273 2.
- 48. [△]Mutua, J. K., Imathiu, S., & Owino, W. (2017). Evaluati on of the proximate composition, antioxidant potentia l, and antimicrobial activity of mango seed kernel extr acts. Food Science & Nutrition, 5(2), 349–357.
- 49. [△]Manthey, J. A., & Perkins-Veazie, P. (2009). Influences of harvest date and location on the levels of β-caroten e, ascorbic acid, total phenols, the in vitro antioxidant capacity, and phenolic profiles of five commercial vari eties of mango (Mangifera indica L.). Journal of agricu ltural and food chemistry, 57(22), 10825-10830.
- 50. [△]Burton-Freeman, B. M., Sandhu, A. K., & Edirisinghe, I. (2017). Mangos and their bioactive components: Add ing variety to the fruit plate for health. Food & functio n, 8(9), 3010-3032.
- 51. [△]Ajila, C. M., & Rao, U. P. (2013). Mango peel dietary fib re: Composition and associated bound phenolics. Jour nal of functional foods, 5(1), 444–450.

- 52. a. b. c. dAngela H. & Kayli A., (2023). Mangoes 101: Nutri tion, Benefits, Types, and More, RDN of American Coll ege of Lifestyle Medicine. Available at https://www.ev erydayhealth.com/diet-nutrition/diet/mangoes-nutrit ion-benefits-types-and-more/ and retrieved on 07/06/ 2023.
- 53. [△]Kumar, S., & Pandey, A. K. (2013). Chemistry and biol ogical activities of flavonoids: an overview. The scienti fic world journal, 2013.
- 54. [△]Michael J., (2021). 11 Impressive Health Benefits of M ango – Natural food series. Available at https://www. naturalfoodseries.com/11-benefits-mango/#google_vig nette and retrieved on 07/06/2023.
- 55. [△]Nicola S., (2023). Top 5 health benefits of mango BB C Good Food. Available at https://www.bbcgoodfood.c om/howto/guide/health-benefits-mango and retrieve d on 07/06/2023.
- 56. [△]Ryan R., Cecilia S., Kathy W. W., (2023). Ten Health Be nefits of Mango in Mango- Nutrition, Health Benefits, and How to Eat it. Available at https://www.healthlin e.com/nutrition/mango and retrieved on 07/06/2023.
- 57. [△]de Almeida, R. F., Trevisan, M. T. S., Thomaziello, R. A., Breuer, A., Klika, K. D., Ulrich, C. M., & Owen, R. W. (2 019). Nutraceutical compounds: Echinoids, flavonoids, xanthones and caffeine identified and quantitated in t he leaves of Coffea arabica trees from three regions of Brazil. Food Research International, 115, 493-503.
- 58. [△]Kabir, Y., Shekhar, H. U., & Sidhu, J. S. (2017). Phytoche mical compounds in functional properties of mangoe s. Handbook of mango fruit: Production, postharvest s cience, processing technology andravani nutrition, 237 -254.
- 59. [△]Masibo, M., & He, Q. (2008). Major mango polypheno Is and their potential significance to human health. Co mprehensive reviews in food science and food safety, 7 (4), 309-319.
- 60. [△]Ediriweera, M. K., Tennekoon, K. H., & Samarakoon, S. R. (2017). A review on ethnopharmacological applic ations, pharmacological activities, and bioactive comp ounds of Mangifera indica (Mango). Evidence-Based C omplementary and Alternative Medicine, 2017.
- 61. [△]Kim, H., Kim, H., Mosaddik, A., Gyawali, R., Ahn, K. S., & Cho, S. K. (2012). Induction of apoptosis by ethanolic extract of mango peel and comparative analysis of the chemical constitutes of mango peel and flesh. Food ch emistry, 133(2), 416–422.
- 62. [△]Kim, H., Castellon-Chicas, M. J., Arbizu, S., Talcott, S. T., Drury, N. L., Smith, S., & Mertens-Talcott, S. U. (202
 1). Mango (Mangifera indica L.) polyphenols: Anti-infl ammatory intestinal microbial health benefits, and as

sociated mechanisms of actions. Molecules, 26(9), 273 2.

- 63. [△]Kim, H., Banerjee, N., Barnes, R. C., Pfent, C. M., Talcot t, S. T., Dashwood, R. H., & Mertens-Talcott, S. U. (2017). Mango polyphenolics reduce inflammation in intestin al colitis—involvement of the miR-126/PI3K/AKT/mTO R axis in vitro and in vivo. Molecular carcinogenesis, 5 6(1), 197-207.
- 64. ^{a, b}Abe, K. (2012). A patient developed painful muscle c ramps due to overeating mangos. Case Reports in Neu rological Medicine, 2012.
- 65. [^]Subbiah K (M.Sc. Horti. thesis). (1961). Indian agricult ural research institute. New Delhi, India.
- 66. ^{a, b, c, d, e}Mathur V.S., & Purnanandam T (1976). Stand ardization in the field of mango and its products. Indi an Food Packer, 30(5): 110–121.
- 67. [△]Kalra SK and Tandon DK (1986). Mango and guava b everages. Beverage and food world, 13(2): 9–13
- 68. [△]Khurdiya DS and Roy SK (1986). Studies on ripening and canning of mangoes Indian Food Packer, 40(1): 45 - 48.
- 69. [△]Chakraborthy S, Bisht HC and Agrawal MD (1991). St udies on varietal screening of mangoes of Uttar Prade sh for their suitability for production of canned nectar, juice and pulp. Indian Food Packer, 45(5): 49–57.
- 70. [△]Roy AK, Joshi S and Nath N (1997). Effect of homogen ization on sensory quality and reological characteristi cs of pulp and beverages from ripe 'Dashehari' mango es. Journal of Food Science and Technology, 34(3): 212-217.
- 71. [△]Azizi A and Ranganna S (1993). Spoilage organisms o f canned acidified mango pulp and their relevance to t hermal processing of acid foods. Journal of Food Scien ce and Technology, 30(4): 241-245.
- 72. [△]Mahadeviah M. Gowramma RV, Radhakrishniah Set ty G, Sastry LVL and Bhatnagar HC (1969). Studies on variation in Tin content in canned mango nectar duri ng storage. Journal of Food Science and Technology, 6: 192.
- 73. [△]Kumbhar BK (1992). Processing of mango in the indu stry-As scenario. Indian Food Industry, 11(6): 33-36.
- 74. [△]Roy SK, Singh RN and Singh R (1972). Studies on eval uation of some mango varieties of North India for pro cessing as nectar. Indian Food Packer, 26(5): 5-8.
- 75. [△]Islam MN, Begum JA and Shamsuddin M (1990). Stud ies on carbonated beverages based on mango pulp. Ba ngladesh Agriculture Science, 17(2): 169-172.
- 76. [△]Al-haq MI and Mahyuddin, G (1992). Commercial ma nufacturing of pasteurized mango fruit flavoured milk based beverages. Pakistan Journal of Scientific and In dustrial Research, 35(10): 420-424.

- 77. [△]Onkararayya H (1985). Mango vermouth-A new alco holic beverage. Indian Food Packer, 39(1): 40-46.
- 78. ^{a, b}Pruthi JS (1992). Simple innovations in mango proc essing technologies. Indian Food Packer, 46(5): 45-55.
- 79. [△]Baldry J, Breag GR, Cooke RD, Ferber CEM and Kana gasabapathy L (1976). Alternative methods of processi ng mangoes. Indian Food Packer, 30(5): 56- 62.
- 80. [△]Nanjundaswamy AM, Shetty GR and Saroja S (1976). Studies on the production of newer products from ma ngo. Indian Food Packer, 30(5): 95-108.
- 81. [△]Siddappa GS, Bhatia BS and Lal G (1953). Central Foo d Technological Research Institute, Mysore- 2A, India n Patent No. 49441.
- 82. [△]Chaudhari AP, Kumbhar BK, Singh BP and Narain M (1993). Osmotic dehydration of fruits and vegetables A review. Indian Food Industry, 12(1): 20-27.
- 83. ^{a, b}Sagar VR and Khurdiya DS (1996). Effect of ripenin g stages on quality of dehydrated ripe mango slices. Jo urnal of Food Science and Technology, 33(6): 527-529.
- 84. [△]Giraldo G, Talens P, Fito P and Chiralt A (2003). Influe nce of sucrose solution concentration on kinetics and y ield during osmotic dehydration of mango. Journal of Food Engineering, 58: 33-43.
- 85. [△]Hemakar AK, Tomar MC and Singh UB (2000). Studi es on blending of guava pulp with mango pulp for deh ydration (mango-guava sheet). Indian Food Packer, 5 4(4):45-50.
- 86. [△]Rao VS and Roy SK (1980a). Studies on dehydration o f mango pulp (i) Standardization for making mango s heet/leather. Indian Food Packer, 34(3): 64-71.
- 87. [△]Gowda IND, Dan A and Ramanjaneya KH (1995). Stu dies on mango fruit bar preparation. Indian Food Pack er, 49(2): 17-24.
- 88. [△]Mir MA and Nath N (1993). Storage changes in fortifi ed mango bars. Journal of Food Science and Technolo gy, 30(4): 279-282
- ^AMir MA and Nath N (1995). Sorption isotherms of fort ified mango bars. Journal of Food Engineering, 25(1): 1 41-150.
- 90. ^{a, b}Mallik SC (1976). Recipe and marketing of green m ango beverage and jam. Indian Food Packer, 30(5): 37-39.
- 91. ^{a, b, c}Sagar VR and Khurdiya DS (1998). Improved prod uct from ripe mangoes. Indian Food Packer, 52(6): 27-31.
- 92. ^{a, b}Gupta RK (1993). SBP handbook of export oriented f ood processing projects. SBP consultants and engineer s pvt. Ltd, 286.
- 93. [△]Jayaraman KS, Ramanuja MN, Goverdhanand T, Bha tia BS and Nath H (1976). Technological aspects of use

of ripe mangoes in the preparation of some convenien ce foods for defense services. Indian Food Packer, 30 (5): 76-82.

- 94. ^{a, b}Balasubhramanyam BY and Kulkarni S (1992). Sta ndardization of manufacture of high fat yoghurt with natural fruit pulp. Journal of Food Science and Techno logy, 28(6): 389-390.
- 95. [△]Britnell PM (1991). The development of structured m ango products. Acta Horticulturae, 291: 554–562.
- 96. [△]Grewal KS and Jain SC (1982). Studies on the feasibili ty in incorporating preserved mango pulp in the prepa ration of milk mango shake. Indian Food Packer, 36(4): 95.
- 97. [△]Dabhade RS and Khedkar DM (1980a). Studies on dr ying and dehydration of raw mangoes for preparation of mango powder (amchur). Part-I: Physico chemical c omposition of raw mangoes during growth and devel opment. Indian Food Packer, 34(3): 3-17.
- 98. ^{a, b}Siddappa GS and Lal G (1953). Central Food Techno logical Research Institute, Mysore- 2A, Indian Patent No. 49590
- 99. [△]Ong MY, Yusof YA, Aziz MG, Chin NL and Amin NAM d (2014). Characterization of fast dispersible fruit table ts made from green and ripe mango fruit powders. Jou rnal of Food Engineering, 125: 17–23.
- 100. [△]Maneepun S and Yuchalad M (2004). Developing pro cessed mango products for international markets. Act a Horticulture, 64(5): 93–105.
- 101. [△]Sastry MV and Krishnamurthy N (1974). Studies on I ndian pickles-I. Preparation and storage of pickles fro m mangoes. Indian Food Packer, 28(1): 32-44.
- 102. [△]Kaushik V and Nath N (1992). Effect of cooking proce dure and variety on acceptability of unripe mango be verage. Journal of Food Science and Technology, 29(2): 127-129.
- 103. ^{a, b}Teotia MS, Manan JK and Saxena AK (1987). Green mango processing-A review. Indian Food Packer, 41(6): 75-85.
- 104. [△]Dabhade RS and Khedkar DM (1980a). Studies on dr ying and dehydration of raw mangoes for preparation of mango powder (amchur). Part-I: Physico chemical c omposition of raw mangoes during growth and devel opment. Indian Food Packer, 34(3): 3-17.

- 105. [△]Dabhade RS and Khedkar DM (1980b). Studies on dr ying and dehydration of raw mangoes for preparation of mango powder (amchur). Part-III: Leaching losses i n raw mango pieces during bleaching and sulphiatati on. Indian Food Packer, 34(3): 32-34.
- 106. [△]Dabhade RS and Khedkar DM (1980c). Studies on dr ying and dehydration of raw mangoes for preparation of mango powder (amchur) Part-IV: Drying and dehyd ration of raw mango pieces. Indian Food Packer, 34(3): 35-42.
- 107. [△]Dabhade RS and Khedkar DM (1980d). Studies on dr ying and dehydration of raw mangoes for preparation of mango powder (amchur). Part-VI: Changes in chem ical constituents of raw mango powder during storag e. Indian Food Packer, 34(3): 48–54.
- 108. [△]Dabhade RS and Khedkar DM (1980e). Studies on dr ying and dehydration of raw mangoes for preparation of mango powder (amchur). Part-VII: Organoleptic eva luation of raw mango powder. Indian Food Packer, 34 (3): 55-59.
- 109. [△]Khedkar DM and Roy SK (1980). Histological evidenc e for the reconstitution property of dried dehydrated r aw mango slices. Journal of Food Science and Technol ogy, 17(6): 276.
- 110. [△]Chau HTN, Pal RK and Roy SK (1989). Studies on extr action of pulp and development of beverages from gre en mangoes. Indian Food Packer, 43(3): 27-34.
- 111. [△]Kaushik V and Nath N (1992). Effect of cooking proce dure and variety on acceptability of unripe mango be verage. Journal of Food Science and Technology, 29(2): 127-129.
- 112. [△]Pandey DC, Tomar MC and Singh UB (1995). Prepara tion, processing and storage studies on raw mango pa na. Indian Food Packer, 49(6): 5-9.
- 113. [△]Singh SS, Tomar MC and Singh UB (1999). Preparatio n and storage studies on raw mango pana concentrat e. Indian Food Packer, 53(6): 63–66.
- 114. [△]Kaur B, Kaur D, Kaur G and Rekha (2006). Mango Pa nna – Modified method, Proceedings of 18th Indian C onvention of Food Scientists and Technologists (ICFoS T), p-92.
- 115. [▲]Ravani A and Joshi DC (2011). Standardization of pro cessing parameters for the production of readyto-serv e unripe mango beverage (pana). Journal of Dairying, Foods and Home science, 30 (2): 94-98

Declarations

Funding: No specific funding was received for this work. **Potential competing interests:** No potential competing interests to declare.