

Open Peer Review on Qeios

Stage IV Nasal Cavity Carcinoma AJCC v7

National Cancer Institute

Source

National Cancer Institute. <u>Stage IV Nasal Cavity Carcinoma AJCC v7</u>. NCI Thesaurus. Code C6010.

Stage IV includes: IVA: (T4a, N0, M0); (T4a, N1, M0); (T1, N2, M0); (T2, N2, M0); (T3, N2, M0); (T4a, N2, M0); IVB: (T4b, Any N, M0); (Any T, N3, M0); IVC: (Any T, Any N, M1). T4a: Moderately advanced local disease. Tumor invades any of the following: anterior orbital contents, skin of nose or cheek, minimal extension to anterior cranial fossa, pterygoid plates, sphenoid or frontal sinuses. T4b: Very advanced local disease. Tumor invades any of the following: orbital apex, dura, brain, middle cranial fossa, cranial nerves other than maxillary division of trigeminal nerve, nasopharynx, or clivus. N0: No regional lymph node metastasis. N1: Metastasis in a single ipsilateral lymph node, 3 cm or less in greatest dimension. N2: Metastasis in a single ipsilateral lymph node, more than 3 cm but not more than 6 cm in greatest dimension, or in multiple ipsilateral lymph nodes, none more than 6 cm in greatest dimension. N3: Metastasis in a lymph node, more than 6 cm in greatest dimension. N3: Metastasis in a lymph node, more than 6 cm in greatest dimension. N3: Metastasis in a lymph node, more than 6 cm in greatest dimension. N3: Metastasis in a lymph node, more than 6 cm in greatest dimension. N3: Metastasis in a lymph node, more than 6 cm in greatest dimension. N3: Metastasis in a lymph node, more than 6 cm in

Qeios ID: W4TSCQ · https://doi.org/10.32388/W4TSCQ