

Open Peer Review on Qeios

Stage II Esophageal Cancer AJCC v7

National Cancer Institute

Source

National Cancer Institute. <u>Stage II Esophageal Cancer AJCC v7</u>. NCI Thesaurus. Code C89794.

Stage II includes: For squamous cell carcinoma: IIA (T2-3, N0, M0, G1, GX, Tumor location: Upper, middle); (T2-3, N0, M0, G2-3, Tumor location: Lower, X); IIB (T2-3, N0, M0, G2-3, Tumor location: Upper, middle); (T1-2, N1, M0, Any G, Tumor location: Any). For adenocarcinoma: IIA (T2, N0, M0, G3); IIB (T3, N0, M0, Any G); (T1-2, N1, M0, Any G). T2: Tumor invades muscularis propria. T3: Tumor invades adventitia. T1: Tumor invades lamina propria, muscularis mucosae, or submucosa. N0: No regional lymph node metastasis. N1: Metastasis in 1-2 regional lymph nodes. M0: No distant metastasis. G1: Well differentiated. GX: Grade cannot be assessed-stage grouping as G1. G2: Moderately differentiated. G3: Poorly differentiated. Tumor location: Location of the primary cancer site is defined by the position of the upper (proximal) edge of the tumor in the esophagus. (AJCC 7th ed.)

Qeios ID: XN0HMT · https://doi.org/10.32388/XN0HMT